



SAN FRANCISCO PUBLIC UTILITIES COMMISSION
WATER QUALITY LABORATORY



SDG ID: 1050020
Client: SFPUC Planning
Project ID: Synthetic Turf

This summary is missing:
LIMS ID: 1201230554
Date Collected: 01/20/12 21:00
Method: EPA 625
Batch ID: 1246822
South Sunset Playground

ELAP Cert #: Southeast 1721
Millbrae 1449

LIMS ID:	1201230468	Date Collected:	01/20/12 18:45	Sample Matrix:	WW			
Client Sample ID:	SS TSS T+0	Date Received:	01/23/12	LIMS Source:	ST_SSPG			
Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
Total Suspended Solids	< 7	MG/L	7		SM 2540 D	01/25/12	12025STSS0	CB

LIMS ID:	1201230469	Date Collected:	01/20/12 18:45	Sample Matrix:	WW			
Client Sample ID:	SS TDS T+0	Date Received:	01/24/12	LIMS Source:	ST_SSPG			
Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
Total Dissolved Solids	80	MG/L	24		SM 2540 C	01/27/12	12027STDS0	PT

LIMS ID:	1201230470	Date Collected:	01/20/12 18:45	Sample Matrix:	WW			
Client Sample ID:	SS SVOC T+0	Date Received:	01/23/12	LIMS Source:	ST_SSPG			
Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
1,2,4-Trichlorobenzene	< 0.53	UG/L	0.53	1	EPA 625	01/25/12	120256250	LC
1,2-Dichlorobenzene	< 0.46	UG/L	0.46	1	EPA 625	01/25/12	120256250	LC
1,2-Diphenylhydrazine	< 0.63	UG/L	0.63	1	EPA 625	01/25/12	120256250	LC
1,3-Dichlorobenzene	< 0.46	UG/L	0.46	1	EPA 625	01/25/12	120256250	LC
1,4-Dichlorobenzene	< 0.5	UG/L	0.5	1	EPA 625	01/25/12	120256250	LC
2,4,6-Trichlorophenol	< 0.99	UG/L	0.99	1	EPA 625	01/25/12	120256250	LC
2,4-Dichlorophenol	< 0.64	UG/L	0.64	1	EPA 625	01/25/12	120256250	LC
2,4-Dimethylphenol	< 0.96	UG/L	0.96	1	EPA 625	01/25/12	120256250	LC
2,4-Dinitrophenol	< 0.6	UG/L	0.6	5	EPA 625	01/25/12	120256250	LC
2,4-Dinitrotoluene	< 0.72	UG/L	0.72	1	EPA 625	01/25/12	120256250	LC
2,6-Dinitrotoluene	< 0.65	UG/L	0.65	1	EPA 625	01/25/12	120256250	LC
2-Chloronaphthalene	< 0.52	UG/L	0.52	1	EPA 625	01/25/12	120256250	LC
2-Chlorophenol	< 0.91	UG/L	0.91	1	EPA 625	01/25/12	120256250	LC
2-Nitrophenol	< 0.85	UG/L	0.85	1	EPA 625	01/25/12	120256250	LC
3,3'-Dichlorobenzidine	< 0.84	UG/L	0.84	1	EPA 625	01/25/12	120256250	LC
4,6-Dinitro-2-methylphenol	< 1.54	UG/L	1.54	2.5	EPA 625	01/25/12	120256250	LC
4-Bromophenyl phenyl ether	< 0.48	UG/L	0.48	1	EPA 625	01/25/12	120256250	LC
4-Chloro-3-methylphenol	< 0.97	UG/L	0.97	1	EPA 625	01/25/12	120256250	LC
4-Chlorophenyl phenyl ether	< 0.62	UG/L	0.62	1	EPA 625	01/25/12	120256250	LC
4-Nitrophenol	< 0.89	UG/L	0.89	5	EPA 625	01/25/12	120256250	LC
Acenaphthene	< 0.61	UG/L	0.61	1	EPA 625	01/25/12	120256250	LC
Acenaphthylene	< 0.74	UG/L	0.74	1	EPA 625	01/25/12	120256250	LC
Anthracene	< 0.41	UG/L	0.41	1	EPA 625	01/25/12	120256250	LC
Benzidine	< 0.65	UG/L	0.65	5	EPA 625	01/25/12	120256250	LC
Benzo[a]anthracene	< 0.28	UG/L	0.28	1	EPA 625	01/25/12	120256250	LC
Benzo[a]pyrene	< 0.32	UG/L	0.32	1	EPA 625	01/25/12	120256250	LC
Benzo[b]fluoranthene	< 0.31	UG/L	0.31	1	EPA 625	01/25/12	120256250	LC
Benzo[ghi]perylene	< 0.62	UG/L	0.62	1	EPA 625	01/25/12	120256250	LC
Benzo[k]fluoranthene	< 0.31	UG/L	0.31	1	EPA 625	01/25/12	120256250	LC
Bis-(2-chloroethoxy)-methane	< 0.57	UG/L	0.57	1	EPA 625	01/25/12	120256250	LC
Bis-(2-chloroethyl)-ether	< 0.45	UG/L	0.45	1	EPA 625	01/25/12	120256250	LC
Bis-(2-chloroisopropyl)-ether	< 0.25	UG/L	0.25	1	EPA 625	01/25/12	120256250	LC
Bis-(2-ethylhexyl)-phthalate	57.28	UG/L	0.77	1	EPA 625	01/25/12	120256250	LC
Butyl benzyl phthalate	< 0.41	UG/L	0.41	1	EPA 625	01/25/12	120256250	LC
Chrysene	< 0.31	UG/L	0.31	1	EPA 625	01/25/12	120256250	LC
Di-n-butylphthalate	< 0.44	UG/L	0.44	1	EPA 625	01/25/12	120256250	LC
Di-n-octyl phthalate	< 0.76	UG/L	0.76	1	EPA 625	01/25/12	120256250	LC
Dibenzo-[a,h]-anthracene	< 0.73	UG/L	0.73	1	EPA 625	01/25/12	120256250	LC

Diethyl phthalate	< 0.84	UG/L	0.84	1	EPA 625	01/25/12	120256250	LC
Dimethyl phthalate	< 0.81	UG/L	0.81	1	EPA 625	01/25/12	120256250	LC
Fluorene	< 0.71	UG/L	0.71	1	EPA 625	01/25/12	120256250	LC
Fuoranthene	< 0.54	UG/L	0.54	1	EPA 625	01/25/12	120256250	LC
Hexachlorobenzene	< 0.48	UG/L	0.48	1	EPA 625	01/25/12	120256250	LC
Hexachlorobutadiene	< 0.53	UG/L	0.53	1	EPA 625	01/25/12	120256250	LC
Hexachlorocyclopentadiene	< 0.9	UG/L	0.9	1	EPA 625	01/25/12	120256250	LC
Hexachloroethane	< 0.57	UG/L	0.57	1	EPA 625	01/25/12	120256250	LC
Indeno[1,2,3-cd]pyrene	< 0.67	UG/L	0.67	1	EPA 625	01/25/12	120256250	LC
Isophorone	< 0.44	UG/L	0.44	1	EPA 625	01/25/12	120256250	LC
N-nitroso-di-n-propylamine (NDPA)	< 0.57	UG/L	0.57	1	EPA 625	01/25/12	120256250	LC
N-nitroso-dimethylamine (NDMA)	< 0.25	UG/L	0.25	1	EPA 625	01/25/12	120256250	LC
N-nitroso-diphenylamine	< 0.55	UG/L	0.55	1	EPA 625	01/25/12	120256250	LC
Naphthalene	< 0.48	UG/L	0.48	1	EPA 625	01/25/12	120256250	LC
Nitrobenzene	< 0.4	UG/L	0.4	1	EPA 625	01/25/12	120256250	LC
Pentachlorophenol	< 0.94	UG/L	0.94	5	EPA 625	01/25/12	120256250	LC
Phenanthrene	< 0.48	UG/L	0.48	1	EPA 625	01/25/12	120256250	LC
Phenol	< 0.47	UG/L	0.47	1	EPA 625	01/25/12	120256250	LC
Pyrene	< 0.4	UG/L	0.4	1	EPA 625	01/25/12	120256250	LC

LIMS ID: 1201230471		Date Collected: 01/20/12 18:45		Sample Matrix: WW				
Client Sample ID: SS VOA T+0		Date Received: 01/23/12		LIMS Source: ST_SSPG				
Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
1,1,1-Trichloroethane	< 0.064	UG/L	0.064	1	EPA 624	01/24/12	120246240	LC
1,1,2,2-Tetrachloroethane	< 0.064	UG/L	0.064	1	EPA 624	01/24/12	120246240	LC
1,1,2-Trichloroethane	< 0.053	UG/L	0.053	1	EPA 624	01/24/12	120246240	LC
1,1-Dichloroethane	< 0.047	UG/L	0.047	1	EPA 624	01/24/12	120246240	LC
1,1-Dichloroethylene	< 0.038	UG/L	0.038	1	EPA 624	01/24/12	120246240	LC
1,2-Dichlorobenzene	< 0.045	UG/L	0.045	1	EPA 624	01/24/12	120246240	LC
1,2-Dichloroethane	< 0.052	UG/L	0.052	1	EPA 624	01/24/12	120246240	LC
1,2-Dichloropropane	< 0.038	UG/L	0.038	1	EPA 624	01/24/12	120246240	LC
1,2-dimethylbenzene	< 0.048	UG/L	0.048	1	EPA 624	01/24/12	120246240	LC
1,3(1,4)-dimethylbenzene	< 0.06	UG/L	0.06	1	EPA 624	01/24/12	120246240	LC
1,3-Dichlorobenzene	DNQ 0.214	UG/L	0.054	1	EPA 624	01/24/12	120246240	LC
1,4-Dichlorobenzene	DNQ 0.272	UG/L	0.09	1	EPA 624	01/24/12	120246240	LC
2-Chloroethyl vinyl ether	< 0.095	UG/L	0.095	1	EPA 624	01/24/12	120246240	LC
Benzene	< 0.051	UG/L	0.051	1	EPA 624	01/24/12	120246240	LC
Bromodichloromethane	< 0.065	UG/L	0.065	1	EPA 624	01/24/12	120246240	LC
Bromoform	< 0.078	UG/L	0.078	1	EPA 624	01/24/12	120246240	LC
Bromomethane	< 0.067	UG/L	0.067	1	EPA 624	01/24/12	120246240	LC
Carbon tetrachloride	< 0.068	UG/L	0.068	1	EPA 624	01/24/12	120246240	LC
Chlorobenzene	< 0.052	UG/L	0.052	1	EPA 624	01/24/12	120246240	LC
Chloroethane	< 0.326	UG/L	0.326	1	EPA 624	01/24/12	120246240	LC
Chloroform	< 0.055	UG/L	0.055	1	EPA 624	01/24/12	120246240	LC
Chloromethane	< 0.543	UG/L	0.543	1	EPA 624	01/24/12	120246240	LC
Dibromochloromethane	< 0.039	UG/L	0.039	1	EPA 624	01/24/12	120246240	LC
Dichlorodifluoromethane (F-12)	< 0.066	UG/L	0.066	1	EPA 624	01/24/12	120246240	LC
Ethylbenzene	< 0.041	UG/L	0.041	1	EPA 624	01/24/12	120246240	LC
Methyl t-butyl ether	< 0.053	UG/L	0.053	1	EPA 624	01/24/12	120246240	LC
Methylene chloride	< 0.032	UG/L	0.032	1	EPA 624	01/24/12	120246240	LC
Tetrachloroethylene	< 0.087	UG/L	0.087	1	EPA 624	01/24/12	120246240	LC
Toluene	< 0.061	UG/L	0.061	1	EPA 624	01/24/12	120246240	LC
Trichloroethylene	< 0.058	UG/L	0.058	1	EPA 624	01/24/12	120246240	LC
Trichlorofluoromethane (F-11)	< 0.039	UG/L	0.039	1	EPA 624	01/24/12	120246240	LC
Vinyl chloride	< 0.446	UG/L	0.446	1	EPA 624	01/24/12	120246240	LC
cis-1,3-dichloropropene	< 0.054	UG/L	0.054	1	EPA 624	01/24/12	120246240	LC
trans-1,2-Dichloroethylene	< 0.062	UG/L	0.062	1	EPA 624	01/24/12	120246240	LC
trans-1,3-Dichloropropene	< 0.053	UG/L	0.053	1	EPA 624	01/24/12	120246240	LC

LIMS ID: 1201230472		Date Collected: 01/20/12 18:45		Sample Matrix: WW (Field Filtered)				
Client Sample ID: SS MD T+0		Date Received: 01/23/12		LIMS Source: ST_SSPG				
Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
Antimony, Sb	< 0.5	UG/L	0.03	0.5	EPA 200.8	01/25/12	120251PMW0	GM
Arsenic, As	< 2	UG/L	0.07	2	EPA 200.8	01/25/12	120251PMW0	GM
Barium, Ba	24.3875	UG/L	0.02	0.1	EPA 200.8	01/25/12	120251PMW0	GM

Beryllium, Be	< 0.5	UG/L	0.04	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Cadmium, Cd	< 0.25	UG/L	0.006	0.25	EPA 200.8	01/25/12	12025IPMW0	GM
Chromium, Cr	1.3513	UG/L	0.004	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Cobalt, Co	0.2963	UG/L	0.005	0.025	EPA 200.8	01/25/12	12025IPMW0	GM
Copper, Cu	4.3663	UG/L	0.03	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Iron, Fe	262.25	UG/L	1	5	EPA 200.8	01/25/12	12025SICN0	GM
Lead, Pb	< 0.5	UG/L	0.02	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Manganese, Mn	12.725	UG/L	0.03	0.15	EPA 200.8	01/25/12	12025IPMW0	GM
Molybdenum, Mo	< 0.35	UG/L	0.07	0.35	EPA 200.8	01/25/12	12025IPMW0	GM
Nickel, Ni	1.7163	UG/L	0.02	1	EPA 200.8	01/25/12	12025IPMW0	GM
Selenium, Se	< 2	UG/L	0.03	2	EPA 200.8	01/25/12	12025IPMW0	GM
Silver, Ag	< 0.25	UG/L	0.003	0.25	EPA 200.8	01/25/12	12025IPMW0	GM
Thallium, Tl	< 1	UG/L	0.01	1	EPA 200.8	01/25/12	12025IPMW0	GM
Vanadium, V	5.3438	UG/L	0.007	0.035	EPA 200.8	01/25/12	12025IPMW0	GM
Zinc, Zn	81.175	UG/L	0.2	1	EPA 200.8	01/25/12	12025IPMW0	GM
Mercury, Hg	< 0.2	UG/L	0.02	0.2	EPA 245.1	01/26/12	12026HGWW0	RW

LIMS ID: 1201230473 **Date Collected:** 01/20/12 18:45 **Sample Matrix:** WW
Client Sample ID: SS MT T+0 **Date Received:** 01/23/12 **LIMS Source:** ST_SSPG

Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
Antimony, Sb	< 0.5	UG/L	0.03	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Arsenic, As	< 2	UG/L	0.07	2	EPA 200.8	01/25/12	12025IPMW0	GM
Barium, Ba	26.1375	UG/L	0.02	0.1	EPA 200.8	01/25/12	12025IPMW0	GM
Beryllium, Be	< 0.5	UG/L	0.04	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Cadmium, Cd	< 0.25	UG/L	0.006	0.25	EPA 200.8	01/25/12	12025IPMW0	GM
Chromium, Cr	1.6688	UG/L	0.004	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Cobalt, Co	0.4343	UG/L	0.005	0.025	EPA 200.8	01/25/12	12025IPMW0	GM
Copper, Cu	4.7413	UG/L	0.03	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Iron, Fe	381.625	UG/L	1	5	EPA 200.8	01/25/12	12025SICN0	GM
Lead, Pb	0.5094	UG/L	0.02	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Manganese, Mn	18.575	UG/L	0.03	0.15	EPA 200.8	01/25/12	12025IPMW0	GM
Molybdenum, Mo	< 0.35	UG/L	0.07	0.35	EPA 200.8	01/25/12	12025IPMW0	GM
Nickel, Ni	2.15	UG/L	0.02	1	EPA 200.8	01/25/12	12025IPMW0	GM
Selenium, Se	< 2	UG/L	0.03	2	EPA 200.8	01/25/12	12025IPMW0	GM
Silver, Ag	< 0.25	UG/L	0.003	0.25	EPA 200.8	01/25/12	12025IPMW0	GM
Thallium, Tl	< 1	UG/L	0.01	1	EPA 200.8	01/25/12	12025IPMW0	GM
Vanadium, V	5.5213	UG/L	0.007	0.035	EPA 200.8	01/25/12	12025IPMW0	GM
Zinc, Zn	123.7375	UG/L	0.2	1	EPA 200.8	01/25/12	12025IPMW0	GM
Mercury, Hg	< 0.2	UG/L		0.2	EPA 245.1	01/26/12	12026HGWW0	RW

LIMS ID: 1201230474 **Date Collected:** 01/20/12 18:35 **Sample Matrix:** WW
Client Sample ID: GS SVOC T+0 **Date Received:** 01/23/12 **LIMS Source:** ST_GARSQ

Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
1,2,4-Trichlorobenzene	< 0.53	UG/L	0.53	1	EPA 625	01/25/12	120256250	LC
1,2-Dichlorobenzene	< 0.46	UG/L	0.46	1	EPA 625	01/25/12	120256250	LC
1,2-Diphenylhydrazine	< 0.63	UG/L	0.63	1	EPA 625	01/25/12	120256250	LC
1,3-Dichlorobenzene	< 0.46	UG/L	0.46	1	EPA 625	01/25/12	120256250	LC
1,4-Dichlorobenzene	< 0.5	UG/L	0.5	1	EPA 625	01/25/12	120256250	LC
2,4,6-Trichlorophenol	< 0.99	UG/L	0.99	1	EPA 625	01/25/12	120256250	LC
2,4-Dichlorophenol	< 0.64	UG/L	0.64	1	EPA 625	01/25/12	120256250	LC
2,4-Dimethylphenol	< 0.96	UG/L	0.96	1	EPA 625	01/25/12	120256250	LC
2,4-Dinitrophenol	< 0.6	UG/L	0.6	5	EPA 625	01/25/12	120256250	LC
2,4-Dinitrotoluene	< 0.72	UG/L	0.72	1	EPA 625	01/25/12	120256250	LC
2,6-Dinitrotoluene	< 0.65	UG/L	0.65	1	EPA 625	01/25/12	120256250	LC
2-Chloronaphthalene	< 0.52	UG/L	0.52	1	EPA 625	01/25/12	120256250	LC
2-Chlorophenol	< 0.91	UG/L	0.91	1	EPA 625	01/25/12	120256250	LC
2-Nitrophenol	< 0.85	UG/L	0.85	1	EPA 625	01/25/12	120256250	LC
3,3'-Dichlorobenzidine	< 0.84	UG/L	0.84	1	EPA 625	01/25/12	120256250	LC
4,6-Dinitro-2-methylphenol	< 1.54	UG/L	1.54	2.5	EPA 625	01/25/12	120256250	LC
4-Bromophenyl phenyl ether	< 0.48	UG/L	0.48	1	EPA 625	01/25/12	120256250	LC
4-Chloro-3-methylphenol	< 0.97	UG/L	0.97	1	EPA 625	01/25/12	120256250	LC
4-Chlorophenyl phenyl ether	< 0.62	UG/L	0.62	1	EPA 625	01/25/12	120256250	LC
4-Nitrophenol	< 0.89	UG/L	0.89	5	EPA 625	01/25/12	120256250	LC
Acenaphthene	< 0.61	UG/L	0.61	1	EPA 625	01/25/12	120256250	LC

Acenaphthylene	< 0.74	UG/L	0.74	1	EPA 625	01/25/12	120256250	LC
Anthracene	< 0.41	UG/L	0.41	1	EPA 625	01/25/12	120256250	LC
Benzidine	< 0.65	UG/L	0.65	5	EPA 625	01/25/12	120256250	LC
Benzo[a]anthracene	< 0.28	UG/L	0.28	1	EPA 625	01/25/12	120256250	LC
Benzo[a]pyrene	< 0.32	UG/L	0.32	1	EPA 625	01/25/12	120256250	LC
Benzo[b]fluoranthene	< 0.31	UG/L	0.31	1	EPA 625	01/25/12	120256250	LC
Benzo[ghi]perylene	< 0.62	UG/L	0.62	1	EPA 625	01/25/12	120256250	LC
Benzo[k]fluoranthene	< 0.31	UG/L	0.31	1	EPA 625	01/25/12	120256250	LC
Bis-(2-chloroethoxy)-methane	< 0.57	UG/L	0.57	1	EPA 625	01/25/12	120256250	LC
Bis-(2-chloroethyl)-ether	< 0.45	UG/L	0.45	1	EPA 625	01/25/12	120256250	LC
Bis-(2-chloroisopropyl)-ether	< 0.25	UG/L	0.25	1	EPA 625	01/25/12	120256250	LC
Bis-(2-ethylhexyl)-phthalate	< 0.77	UG/L	0.77	1	EPA 625	01/25/12	120256250	LC
Butyl benzyl phthalate	< 0.41	UG/L	0.41	1	EPA 625	01/25/12	120256250	LC
Chrysene	< 0.31	UG/L	0.31	1	EPA 625	01/25/12	120256250	LC
Di-n-butylphthalate	< 0.44	UG/L	0.44	1	EPA 625	01/25/12	120256250	LC
Di-n-octyl phthalate	< 0.76	UG/L	0.76	1	EPA 625	01/25/12	120256250	LC
Dibenzo-[a,h]-anthracene	< 0.73	UG/L	0.73	1	EPA 625	01/25/12	120256250	LC
Diethyl phthalate	< 0.84	UG/L	0.84	1	EPA 625	01/25/12	120256250	LC
Dimethyl phthalate	< 0.81	UG/L	0.81	1	EPA 625	01/25/12	120256250	LC
Fluorene	< 0.71	UG/L	0.71	1	EPA 625	01/25/12	120256250	LC
Fuoranthene	< 0.54	UG/L	0.54	1	EPA 625	01/25/12	120256250	LC
Hexachlorobenzene	< 0.48	UG/L	0.48	1	EPA 625	01/25/12	120256250	LC
Hexachlorobutadiene	< 0.53	UG/L	0.53	1	EPA 625	01/25/12	120256250	LC
Hexachlorocyclopentadiene	< 0.9	UG/L	0.9	1	EPA 625	01/25/12	120256250	LC
Hexachloroethane	< 0.57	UG/L	0.57	1	EPA 625	01/25/12	120256250	LC
Indeno[1,2,3-cd]pyrene	< 0.67	UG/L	0.67	1	EPA 625	01/25/12	120256250	LC
Isophorone	< 0.44	UG/L	0.44	1	EPA 625	01/25/12	120256250	LC
N-nitroso-di-n-propylamine (NDPA)	< 0.57	UG/L	0.57	1	EPA 625	01/25/12	120256250	LC
N-nitroso-dimethylamine (NDMA)	< 0.25	UG/L	0.25	1	EPA 625	01/25/12	120256250	LC
N-nitroso-diphenylamine	< 0.55	UG/L	0.55	1	EPA 625	01/25/12	120256250	LC
Naphthalene	< 0.48	UG/L	0.48	1	EPA 625	01/25/12	120256250	LC
Nitrobenzene	< 0.4	UG/L	0.4	1	EPA 625	01/25/12	120256250	LC
Pentachlorophenol	< 0.94	UG/L	0.94	5	EPA 625	01/25/12	120256250	LC
Phenanthrene	< 0.48	UG/L	0.48	1	EPA 625	01/25/12	120256250	LC
Phenol	< 0.47	UG/L	0.47	1	EPA 625	01/25/12	120256250	LC
Pyrene	< 0.4	UG/L	0.4	1	EPA 625	01/25/12	120256250	LC

LIMS ID:	1201230475	Date Collected:	01/20/12	18:35	Sample Matrix:	WW		
Client Sample ID:	GS TDS T+0	Date Received:	01/23/12		LIMS Source:	ST_GARSQ		
Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
Total Dissolved Solids	468	MG/L	24		SM 2540 C	01/24/12	12024STDS0	KH

LIMS ID:	1201230476	Date Collected:	01/20/12	18:35	Sample Matrix:	WW		
Client Sample ID:	GS TSS T+0	Date Received:	01/23/12		LIMS Source:	ST_GARSQ		
Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
Total Suspended Solids	< 7	MG/L	7		SM 2540 D	01/25/12	12025STSS0	CB

LIMS ID:	1201230477	Date Collected:	01/20/12	18:35	Sample Matrix:	WW		
Client Sample ID:	GS MT T+0	Date Received:	01/23/12		LIMS Source:	ST_GARSQ		
Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
Antimony, Sb	0.5194	UG/L	0.03	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Arsenic, As	< 2	UG/L	0.07	2	EPA 200.8	01/25/12	12025IPMW0	GM
Barium, Ba	195.875	UG/L	0.02	0.1	EPA 200.8	01/25/12	12025IPMW0	GM
Beryllium, Be	< 0.5	UG/L	0.04	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Cadmium, Cd	< 0.25	UG/L	0.006	0.25	EPA 200.8	01/25/12	12025IPMW0	GM
Chromium, Cr	0.764	UG/L	0.004	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Cobalt, Co	0.3118	UG/L	0.005	0.025	EPA 200.8	01/25/12	12025IPMW0	GM
Copper, Cu	12.0125	UG/L	0.03	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Iron, Fe	47.8125	UG/L	1	5	EPA 200.8	01/25/12	12025SICN0	GM
Lead, Pb	< 0.5	UG/L	0.02	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Manganese, Mn	3.0825	UG/L	0.03	0.15	EPA 200.8	01/25/12	12025IPMW0	GM
Molybdenum, Mo	6.1313	UG/L	0.07	0.35	EPA 200.8	01/25/12	12025IPMW0	GM
Nickel, Ni	5.995	UG/L	0.02	1	EPA 200.8	01/25/12	12025IPMW0	GM

Selenium, Se	< 2	UG/L	0.03	2	EPA 200.8	01/25/12	12025IPMW0	GM
Silver, Ag	< 0.25	UG/L	0.003	0.25	EPA 200.8	01/25/12	12025IPMW0	GM
Thallium, Tl	< 1	UG/L	0.01	1	EPA 200.8	01/25/12	12025IPMW0	GM
Vanadium, V	4.6788	UG/L	0.007	0.035	EPA 200.8	01/25/12	12025IPMW0	GM
Zinc, Zn	140.375	UG/L	0.2	1	EPA 200.8	01/25/12	12025IPMW0	GM
Mercury, Hg	< 0.2	UG/L	0.02	0.2	EPA 245.1	01/26/12	12026HGWW0	RW

LIMS ID: 1201230478 **Date Collected:** 01/20/12 18:35 **Sample Matrix:** WW (Field Filtered)
Client Sample ID: GS MD T+0 **Date Received:** 01/23/12 **LIMS Source:** ST_GARSQ

Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
Antimony, Sb	0.5458	UG/L	0.03	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Arsenic, As	< 2	UG/L	0.07	2	EPA 200.8	01/25/12	12025IPMW0	GM
Barium, Ba	183	UG/L	0.02	0.1	EPA 200.8	01/25/12	12025IPMW0	GM
Beryllium, Be	< 0.5	UG/L	0.04	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Cadmium, Cd	< 0.25	UG/L	0.006	0.25	EPA 200.8	01/25/12	12025IPMW0	GM
Chromium, Cr	0.753	UG/L	0.004	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Cobalt, Co	0.3125	UG/L	0.005	0.025	EPA 200.8	01/25/12	12025IPMW0	GM
Copper, Cu	11.6713	UG/L	0.03	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Iron, Fe	26.9375	UG/L	1	5	EPA 200.8	01/25/12	12025SICN0	GM
Lead, Pb	< 0.5	UG/L	0.02	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Manganese, Mn	1.8838	UG/L	0.03	0.15	EPA 200.8	01/25/12	12025IPMW0	GM
Molybdenum, Mo	6.1688	UG/L	0.07	0.35	EPA 200.8	01/25/12	12025IPMW0	GM
Nickel, Ni	5.7875	UG/L	0.02	1	EPA 200.8	01/25/12	12025IPMW0	GM
Selenium, Se	< 2	UG/L	0.03	2	EPA 200.8	01/25/12	12025IPMW0	GM
Silver, Ag	< 0.25	UG/L	0.003	0.25	EPA 200.8	01/25/12	12025IPMW0	GM
Thallium, Tl	< 1	UG/L	0.01	1	EPA 200.8	01/25/12	12025IPMW0	GM
Vanadium, V	4.4725	UG/L	0.007	0.035	EPA 200.8	01/25/12	12025IPMW0	GM
Zinc, Zn	127.25	UG/L	0.2	1	EPA 200.8	01/25/12	12025IPMW0	GM
Mercury, Hg	< 0.2	UG/L		0.2	EPA 245.1	01/26/12	12026HGWW0	RW

LIMS ID: 1201230479 **Date Collected:** 01/20/12 18:35 **Sample Matrix:** WW
Client Sample ID: GS VOA T+0 **Date Received:** 01/23/12 **LIMS Source:** ST_GARSQ

Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
1,1,1-Trichloroethane	< 0.064	UG/L	0.064	1	EPA 624	01/24/12	120246240	LC
1,1,2,2-Tetrachloroethane	< 0.064	UG/L	0.064	1	EPA 624	01/24/12	120246240	LC
1,1,2-Trichloroethane	< 0.053	UG/L	0.053	1	EPA 624	01/24/12	120246240	LC
1,1-Dichloroethane	< 0.047	UG/L	0.047	1	EPA 624	01/24/12	120246240	LC
1,1-Dichloroethylene	< 0.038	UG/L	0.038	1	EPA 624	01/24/12	120246240	LC
1,2-Dichlorobenzene	DNQ 0.272	UG/L	0.045	1	EPA 624	01/24/12	120246240	LC
1,2-Dichloroethane	< 0.052	UG/L	0.052	1	EPA 624	01/24/12	120246240	LC
1,2-Dichloropropane	< 0.038	UG/L	0.038	1	EPA 624	01/24/12	120246240	LC
1,2-dimethylbenzene	DNQ 0.116	UG/L	0.048	1	EPA 624	01/24/12	120246240	LC
1,3(1,4)-dimethylbenzene	DNQ 0.099	UG/L	0.06	1	EPA 624	01/24/12	120246240	LC
1,3-Dichlorobenzene	DNQ 0.324	UG/L	0.054	1	EPA 624	01/24/12	120246240	LC
1,4-Dichlorobenzene	DNQ 0.408	UG/L	0.09	1	EPA 624	01/24/12	120246240	LC
2-Chloroethyl vinyl ether	< 0.095	UG/L	0.095	1	EPA 624	01/24/12	120246240	LC
Benzene	< 0.051	UG/L	0.051	1	EPA 624	01/24/12	120246240	LC
Bromodichloromethane	< 0.065	UG/L	0.065	1	EPA 624	01/24/12	120246240	LC
Bromoform	< 0.078	UG/L	0.078	1	EPA 624	01/24/12	120246240	LC
Bromomethane	< 0.067	UG/L	0.067	1	EPA 624	01/24/12	120246240	LC
Carbon tetrachloride	< 0.068	UG/L	0.068	1	EPA 624	01/24/12	120246240	LC
Chlorobenzene	< 0.052	UG/L	0.052	1	EPA 624	01/24/12	120246240	LC
Chloroethane	< 0.326	UG/L	0.326	1	EPA 624	01/24/12	120246240	LC
Chloroform	< 0.055	UG/L	0.055	1	EPA 624	01/24/12	120246240	LC
Chloromethane	< 0.543	UG/L	0.543	1	EPA 624	01/24/12	120246240	LC
Dibromochloromethane	< 0.039	UG/L	0.039	1	EPA 624	01/24/12	120246240	LC
Dichlorodifluoromethane (F-12)	< 0.066	UG/L	0.066	1	EPA 624	01/24/12	120246240	LC
Ethylbenzene	< 0.041	UG/L	0.041	1	EPA 624	01/24/12	120246240	LC
Methyl t-butyl ether	< 0.053	UG/L	0.053	1	EPA 624	01/24/12	120246240	LC
Methylene chloride	< 0.032	UG/L	0.032	1	EPA 624	01/24/12	120246240	LC
Tetrachloroethylene	< 0.087	UG/L	0.087	1	EPA 624	01/24/12	120246240	LC
Toluene	< 0.061	UG/L	0.061	1	EPA 624	01/24/12	120246240	LC
Trichloroethylene	< 0.058	UG/L	0.058	1	EPA 624	01/24/12	120246240	LC
Trichlorofluoromethane (F-11)	< 0.039	UG/L	0.039	1	EPA 624	01/24/12	120246240	LC
Vinyl chloride	< 0.446	UG/L	0.446	1	EPA 624	01/24/12	120246240	LC

cis-1,3-dichloropropene	< 0.054	UG/L	0.054	1	EPA 624	01/24/12	120246240	LC
trans-1,2-Dichloroethylene	< 0.062	UG/L	0.062	1	EPA 624	01/24/12	120246240	LC
trans-1,3-Dichloropropene	< 0.053	UG/L	0.053	1	EPA 624	01/24/12	120246240	LC

LIMS ID:	1201230480	Date Collected:	01/20/12	21:00	Sample Matrix:	WW		
Client Sample ID:	SS TSS T+2 FD	Date Received:	01/23/12		LIMS Source:	QC_FIELD_DUP		
Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
Total Suspended Solids	11.5	MG/L	7		SM 2540 D	01/25/12	12025STSS0	CB

LIMS ID:	1201230481	Date Collected:	01/20/12	21:00	Sample Matrix:	WW		
Client Sample ID:	SS TDS T+2 FD	Date Received:	01/23/12		LIMS Source:	QC_FIELD_DUP		
Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
Total Dissolved Solids	164	MG/L	24		SM 2540 C	01/24/12	12024STDS0	KH

LIMS ID:	1201230482	Date Collected:	01/20/12	21:00	Sample Matrix:	WW		
Client Sample ID:	SS VOA T+2 FD	Date Received:	01/23/12		LIMS Source:	QC_FIELD_DUP		
Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
1,1,1-Trichloroethane	< 0.064	UG/L	0.064	1	EPA 624	01/24/12	120246240	LC
1,1,2,2-Tetrachloroethane	< 0.064	UG/L	0.064	1	EPA 624	01/24/12	120246240	LC
1,1,2-Trichloroethane	< 0.053	UG/L	0.053	1	EPA 624	01/24/12	120246240	LC
1,1-Dichloroethane	< 0.047	UG/L	0.047	1	EPA 624	01/24/12	120246240	LC
1,1-Dichloroethylene	< 0.038	UG/L	0.038	1	EPA 624	01/24/12	120246240	LC
1,2-Dichlorobenzene	< 0.045	UG/L	0.045	1	EPA 624	01/24/12	120246240	LC
1,2-Dichloroethane	< 0.052	UG/L	0.052	1	EPA 624	01/24/12	120246240	LC
1,2-Dichloropropane	< 0.038	UG/L	0.038	1	EPA 624	01/24/12	120246240	LC
1,2-dimethylbenzene	< 0.048	UG/L	0.048	1	EPA 624	01/24/12	120246240	LC
1,3(1,4)-dimethylbenzene	< 0.06	UG/L	0.06	1	EPA 624	01/24/12	120246240	LC
1,3-Dichlorobenzene	< 0.054	UG/L	0.054	1	EPA 624	01/24/12	120246240	LC
1,4-Dichlorobenzene	< 0.09	UG/L	0.09	1	EPA 624	01/24/12	120246240	LC
2-Chloroethyl vinyl ether	< 0.095	UG/L	0.095	1	EPA 624	01/24/12	120246240	LC
Benzene	< 0.051	UG/L	0.051	1	EPA 624	01/24/12	120246240	LC
Bromodichloromethane	< 0.065	UG/L	0.065	1	EPA 624	01/24/12	120246240	LC
Bromoform	< 0.078	UG/L	0.078	1	EPA 624	01/24/12	120246240	LC
Bromomethane	< 0.067	UG/L	0.067	1	EPA 624	01/24/12	120246240	LC
Carbon tetrachloride	< 0.068	UG/L	0.068	1	EPA 624	01/24/12	120246240	LC
Chlorobenzene	< 0.052	UG/L	0.052	1	EPA 624	01/24/12	120246240	LC
Chloroethane	< 0.326	UG/L	0.326	1	EPA 624	01/24/12	120246240	LC
Chloroform	< 0.055	UG/L	0.055	1	EPA 624	01/24/12	120246240	LC
Chloromethane	DNQ 0.974	UG/L	0.543	1	EPA 624	01/24/12	120246240	LC
Dibromochloromethane	< 0.039	UG/L	0.039	1	EPA 624	01/24/12	120246240	LC
Dichlorodifluoromethane (F-12)	< 0.066	UG/L	0.066	1	EPA 624	01/24/12	120246240	LC
Ethylbenzene	< 0.041	UG/L	0.041	1	EPA 624	01/24/12	120246240	LC
Methyl t-butyl ether	< 0.053	UG/L	0.053	1	EPA 624	01/24/12	120246240	LC
Methylene chloride	< 0.032	UG/L	0.032	1	EPA 624	01/24/12	120246240	LC
Tetrachloroethylene	< 0.087	UG/L	0.087	1	EPA 624	01/24/12	120246240	LC
Toluene	< 0.061	UG/L	0.061	1	EPA 624	01/24/12	120246240	LC
Trichloroethylene	< 0.058	UG/L	0.058	1	EPA 624	01/24/12	120246240	LC
Trichlorofluoromethane (F-11)	< 0.039	UG/L	0.039	1	EPA 624	01/24/12	120246240	LC
Vinyl chloride	< 0.446	UG/L	0.446	1	EPA 624	01/24/12	120246240	LC
cis-1,3-dichloropropene	< 0.054	UG/L	0.054	1	EPA 624	01/24/12	120246240	LC
trans-1,2-Dichloroethylene	< 0.062	UG/L	0.062	1	EPA 624	01/24/12	120246240	LC
trans-1,3-Dichloropropene	< 0.053	UG/L	0.053	1	EPA 624	01/24/12	120246240	LC

LIMS ID: 1201230483 **Date Collected:** 01/20/12 21:00 **Sample Matrix:** WW
Client Sample ID: SS SVOC T+2 FD **Date Received:** 01/23/12 **LIMS Source:** QC_FIELD_DUP

Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
1,2,4-Trichlorobenzene	< 0.53	UG/L	0.53	1	EPA 625	01/25/12	120256250	LC
1,2-Dichlorobenzene	< 0.46	UG/L	0.46	1	EPA 625	01/25/12	120256250	LC
1,2-Diphenylhydrazine	< 0.63	UG/L	0.63	1	EPA 625	01/25/12	120256250	LC
1,3-Dichlorobenzene	< 0.46	UG/L	0.46	1	EPA 625	01/25/12	120256250	LC
1,4-Dichlorobenzene	< 0.5	UG/L	0.5	1	EPA 625	01/25/12	120256250	LC
2,4,6-Trichlorophenol	< 0.99	UG/L	0.99	1	EPA 625	01/25/12	120256250	LC
2,4-Dichlorophenol	< 0.64	UG/L	0.64	1	EPA 625	01/25/12	120256250	LC
2,4-Dimethylphenol	< 0.96	UG/L	0.96	1	EPA 625	01/25/12	120256250	LC
2,4-Dinitrophenol	< 0.6	UG/L	0.6	5	EPA 625	01/25/12	120256250	LC
2,4-Dinitrotoluene	< 0.72	UG/L	0.72	1	EPA 625	01/25/12	120256250	LC
2,6-Dinitrotoluene	< 0.65	UG/L	0.65	1	EPA 625	01/25/12	120256250	LC
2-Chloronaphthalene	< 0.52	UG/L	0.52	1	EPA 625	01/25/12	120256250	LC
2-Chlorophenol	< 0.91	UG/L	0.91	1	EPA 625	01/25/12	120256250	LC
2-Nitrophenol	< 0.85	UG/L	0.85	1	EPA 625	01/25/12	120256250	LC
3,3'-Dichlorobenzidine	< 0.84	UG/L	0.84	1	EPA 625	01/25/12	120256250	LC
4,6-Dinitro-2-methylphenol	< 1.54	UG/L	1.54	2.5	EPA 625	01/25/12	120256250	LC
4-Bromophenyl phenyl ether	< 0.48	UG/L	0.48	1	EPA 625	01/25/12	120256250	LC
4-Chloro-3-methylphenol	< 0.97	UG/L	0.97	1	EPA 625	01/25/12	120256250	LC
4-Chlorophenyl phenyl ether	< 0.62	UG/L	0.62	1	EPA 625	01/25/12	120256250	LC
4-Nitrophenol	< 0.89	UG/L	0.89	5	EPA 625	01/25/12	120256250	LC
Acenaphthene	< 0.61	UG/L	0.61	1	EPA 625	01/25/12	120256250	LC
Acenaphthylene	< 0.74	UG/L	0.74	1	EPA 625	01/25/12	120256250	LC
Anthracene	< 0.41	UG/L	0.41	1	EPA 625	01/25/12	120256250	LC
Benzidine	< 0.65	UG/L	0.65	5	EPA 625	01/25/12	120256250	LC
Benzo[a]anthracene	< 0.28	UG/L	0.28	1	EPA 625	01/25/12	120256250	LC
Benzo[a]pyrene	< 0.32	UG/L	0.32	1	EPA 625	01/25/12	120256250	LC
Benzo[b]fluoranthene	< 0.31	UG/L	0.31	1	EPA 625	01/25/12	120256250	LC
Benzo[ghi]perylene	< 0.62	UG/L	0.62	1	EPA 625	01/25/12	120256250	LC
Benzo[k]fluoranthene	< 0.31	UG/L	0.31	1	EPA 625	01/25/12	120256250	LC
Bis-(2-chloroethoxy)-methane	< 0.57	UG/L	0.57	1	EPA 625	01/25/12	120256250	LC
Bis-(2-chloroethyl)-ether	< 0.45	UG/L	0.45	1	EPA 625	01/25/12	120256250	LC
Bis-(2-chloroisopropyl)-ether	< 0.25	UG/L	0.25	1	EPA 625	01/25/12	120256250	LC
Bis-(2-ethylhexyl)-phthalate	< 0.77	UG/L	0.77	1	EPA 625	01/25/12	120256250	LC
Butyl benzyl phthalate	< 0.41	UG/L	0.41	1	EPA 625	01/25/12	120256250	LC
Chrysene	< 0.31	UG/L	0.31	1	EPA 625	01/25/12	120256250	LC
Di-n-butylphthalate	< 0.44	UG/L	0.44	1	EPA 625	01/25/12	120256250	LC
Di-n-octyl phthalate	< 0.76	UG/L	0.76	1	EPA 625	01/25/12	120256250	LC
Dibenzo-[a,h]-anthracene	< 0.73	UG/L	0.73	1	EPA 625	01/25/12	120256250	LC
Diethyl phthalate	< 0.84	UG/L	0.84	1	EPA 625	01/25/12	120256250	LC
Dimethyl phthalate	< 0.81	UG/L	0.81	1	EPA 625	01/25/12	120256250	LC
Fluorene	< 0.71	UG/L	0.71	1	EPA 625	01/25/12	120256250	LC
Fuoranthene	< 0.54	UG/L	0.54	1	EPA 625	01/25/12	120256250	LC
Hexachlorobenzene	< 0.48	UG/L	0.48	1	EPA 625	01/25/12	120256250	LC
Hexachlorobutadiene	< 0.53	UG/L	0.53	1	EPA 625	01/25/12	120256250	LC
Hexachlorocyclopentadiene	< 0.9	UG/L	0.9	1	EPA 625	01/25/12	120256250	LC
Hexachloroethane	< 0.57	UG/L	0.57	1	EPA 625	01/25/12	120256250	LC
Indeno[1,2,3-cd]pyrene	< 0.67	UG/L	0.67	1	EPA 625	01/25/12	120256250	LC
Isophorone	< 0.44	UG/L	0.44	1	EPA 625	01/25/12	120256250	LC
N-nitroso-di-n-propylamine (NDPA)	< 0.57	UG/L	0.57	1	EPA 625	01/25/12	120256250	LC
N-nitroso-dimethylamine (NDMA)	< 0.25	UG/L	0.25	1	EPA 625	01/25/12	120256250	LC
N-nitroso-diphenylamine	< 0.55	UG/L	0.55	1	EPA 625	01/25/12	120256250	LC
Naphthalene	< 0.48	UG/L	0.48	1	EPA 625	01/25/12	120256250	LC
Nitrobenzene	< 0.4	UG/L	0.4	1	EPA 625	01/25/12	120256250	LC
Pentachlorophenol	< 0.94	UG/L	0.94	5	EPA 625	01/25/12	120256250	LC
Phenanthrene	< 0.48	UG/L	0.48	1	EPA 625	01/25/12	120256250	LC
Phenol	< 0.47	UG/L	0.47	1	EPA 625	01/25/12	120256250	LC
Pyrene	< 0.4	UG/L	0.4	1	EPA 625	01/25/12	120256250	LC

LIMS ID: 1201230484		Date Collected: 01/20/12 21:00			Sample Matrix: WW (Field Filtered)			
Client Sample ID: SS MD T+2 FD		Date Received: 01/23/12			LIMS Source: QC_FIELD_DUP			
Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
Antimony, Sb	< 0.5	UG/L	0.03	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Arsenic, As	< 2	UG/L	0.07	2	EPA 200.8	01/25/12	12025IPMW0	GM
Barium, Ba	42.6125	UG/L	0.02	0.1	EPA 200.8	01/25/12	12025IPMW0	GM
Beryllium, Be	< 0.5	UG/L	0.04	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Cadmium, Cd	< 0.25	UG/L	0.006	0.25	EPA 200.8	01/25/12	12025IPMW0	GM
Chromium, Cr	3.735	UG/L	0.004	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Cobalt, Co	0.7738	UG/L	0.005	0.025	EPA 200.8	01/25/12	12025IPMW0	GM
Copper, Cu	6.1763	UG/L	0.03	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Iron, Fe	861.75	UG/L	1	5	EPA 200.8	01/25/12	12025SICN0	GM
Lead, Pb	0.5099	UG/L	0.02	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Manganese, Mn	26.325	UG/L	0.03	0.15	EPA 200.8	01/25/12	12025IPMW0	GM
Molybdenum, Mo	0.6011	UG/L	0.07	0.35	EPA 200.8	01/25/12	12025IPMW0	GM
Nickel, Ni	4.4263	UG/L	0.02	1	EPA 200.8	01/25/12	12025IPMW0	GM
Selenium, Se	< 2	UG/L	0.03	2	EPA 200.8	01/25/12	12025IPMW0	GM
Silver, Ag	< 0.25	UG/L	0.003	0.25	EPA 200.8	01/25/12	12025IPMW0	GM
Thallium, Tl	< 1	UG/L	0.01	1	EPA 200.8	01/25/12	12025IPMW0	GM
Vanadium, V	3.5313	UG/L	0.007	0.035	EPA 200.8	01/25/12	12025IPMW0	GM
Zinc, Zn	52.2875	UG/L	0.2	1	EPA 200.8	01/25/12	12025IPMW0	GM
Mercury, Hg	< 0.2	UG/L	0.02	0.2	EPA 245.1	02/13/12	12044HGWW0	MNG

LIMS ID: 1201230485		Date Collected: 01/20/12 21:00			Sample Matrix: WW			
Client Sample ID: SS MT T+2 FD		Date Received: 01/23/12			LIMS Source: QC_FIELD_DUP			
Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
Antimony, Sb	< 0.5	UG/L	0.03	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Arsenic, As	< 2	UG/L	0.07	2	EPA 200.8	01/25/12	12025IPMW0	GM
Barium, Ba	45.0125	UG/L	0.02	0.1	EPA 200.8	01/25/12	12025IPMW0	GM
Beryllium, Be	< 0.5	UG/L	0.04	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Cadmium, Cd	< 0.25	UG/L	0.006	0.25	EPA 200.8	01/25/12	12025IPMW0	GM
Chromium, Cr	5.3338	UG/L	0.004	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Cobalt, Co	1.1703	UG/L	0.005	0.025	EPA 200.8	01/25/12	12025IPMW0	GM
Copper, Cu	6.0825	UG/L	0.03	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Iron, Fe	1483.75	UG/L	1	5	EPA 200.8	01/25/12	12025SICN0	GM
Lead, Pb	0.737	UG/L	0.02	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Manganese, Mn	44.975	UG/L	0.03	0.15	EPA 200.8	01/25/12	12025IPMW0	GM
Molybdenum, Mo	0.5558	UG/L	0.07	0.35	EPA 200.8	01/25/12	12025IPMW0	GM
Nickel, Ni	6.6725	UG/L	0.02	1	EPA 200.8	01/25/12	12025IPMW0	GM
Selenium, Se	< 2	UG/L	0.03	2	EPA 200.8	01/25/12	12025IPMW0	GM
Silver, Ag	< 0.25	UG/L	0.003	0.25	EPA 200.8	01/25/12	12025IPMW0	GM
Thallium, Tl	< 1	UG/L	0.01	1	EPA 200.8	01/25/12	12025IPMW0	GM
Vanadium, V	4.62	UG/L	0.007	0.035	EPA 200.8	01/25/12	12025IPMW0	GM
Zinc, Zn	62.325	UG/L	0.2	1	EPA 200.8	01/25/12	12025IPMW0	GM
Mercury, Hg	< 0.2	UG/L	0.02	0.2	EPA 245.1	02/13/12	12044HGWW0	MNG

LIMS ID: 1201230517		Date Collected: 01/20/12 20:45			Sample Matrix: ST_SSPG			
Client Sample ID: SS MT T+2		Date Received: 01/23/12			LIMS Source: ST_SSPG			
Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
Antimony, Sb	< 0.5	UG/L	0.03	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Arsenic, As	< 2	UG/L	0.07	2	EPA 200.8	01/25/12	12025IPMW0	GM
Barium, Ba	43.525	UG/L	0.02	0.1	EPA 200.8	01/25/12	12025IPMW0	GM
Beryllium, Be	< 0.5	UG/L	0.04	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Cadmium, Cd	< 0.25	UG/L	0.006	0.25	EPA 200.8	01/25/12	12025IPMW0	GM
Chromium, Cr	4.8263	UG/L	0.004	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Cobalt, Co	1.1583	UG/L	0.005	0.025	EPA 200.8	01/25/12	12025IPMW0	GM
Copper, Cu	5.8713	UG/L	0.03	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Iron, Fe	1239.875	UG/L	1	5	EPA 200.8	01/25/12	12025SICN0	GM
Lead, Pb	0.8059	UG/L	0.02	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Manganese, Mn	39.725	UG/L	0.03	0.15	EPA 200.8	01/25/12	12025IPMW0	GM
Molybdenum, Mo	0.6306	UG/L	0.07	0.35	EPA 200.8	01/25/12	12025IPMW0	GM
Nickel, Ni	6.0513	UG/L	0.02	1	EPA 200.8	01/25/12	12025IPMW0	GM

Selenium, Se	< 2	UG/L	0.03	2	EPA 200.8	01/25/12	12025IPMW0	GM
Silver, Ag	< 0.25	UG/L	0.003	0.25	EPA 200.8	01/25/12	12025IPMW0	GM
Thallium, Tl	< 1	UG/L	0.01	1	EPA 200.8	01/25/12	12025IPMW0	GM
Vanadium, V	4.3775	UG/L	0.007	0.035	EPA 200.8	01/25/12	12025IPMW0	GM
Zinc, Zn	74.1625	UG/L	0.2	1	EPA 200.8	01/25/12	12025IPMW0	GM
Mercury, Hg	< 0.2	UG/L	0.02	0.2	EPA 245.1	02/13/12	12044HGWW0	MNG

LIMS ID: 1201230518		Date Collected: 01/20/12 19:45		Sample Matrix:				
Client Sample ID: SS MT T+1		Date Received: 01/23/12		LIMS Source: ST_SSPG				
Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
Antimony, Sb	< 0.5	UG/L	0.03	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Arsenic, As	< 2	UG/L	0.07	2	EPA 200.8	01/25/12	12025IPMW0	GM
Barium, Ba	38.8875	UG/L	0.02	0.1	EPA 200.8	01/25/12	12025IPMW0	GM
Beryllium, Be	< 0.5	UG/L	0.04	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Cadmium, Cd	< 0.25	UG/L	0.006	0.25	EPA 200.8	01/25/12	12025IPMW0	GM
Chromium, Cr	4.255	UG/L	0.004	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Cobalt, Co	1.0143	UG/L	0.005	0.025	EPA 200.8	01/25/12	12025IPMW0	GM
Copper, Cu	5.775	UG/L	0.03	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Iron, Fe	1159.375	UG/L	1	5	EPA 200.8	01/25/12	12025SICN0	GM
Lead, Pb	0.8179	UG/L	0.02	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Manganese, Mn	37.7375	UG/L	0.03	0.15	EPA 200.8	01/25/12	12025IPMW0	GM
Molybdenum, Mo	0.6566	UG/L	0.07	0.35	EPA 200.8	01/25/12	12025IPMW0	GM
Nickel, Ni	5.21	UG/L	0.02	1	EPA 200.8	01/25/12	12025IPMW0	GM
Selenium, Se	< 2	UG/L	0.03	2	EPA 200.8	01/25/12	12025IPMW0	GM
Silver, Ag	< 0.25	UG/L	0.003	0.25	EPA 200.8	01/25/12	12025IPMW0	GM
Thallium, Tl	< 1	UG/L	0.01	1	EPA 200.8	01/25/12	12025IPMW0	GM
Vanadium, V	4.485	UG/L	0.007	0.035	EPA 200.8	01/25/12	12025IPMW0	GM
Zinc, Zn	86.2375	UG/L	0.2	1	EPA 200.8	01/25/12	12025IPMW0	GM
Mercury, Hg	< 0.2	UG/L	0.02	0.2	EPA 245.1	02/13/12	12044HGWW0	MNG

LIMS ID: 1201230520		Date Collected: 01/20/12 20:45		Sample Matrix: (Field Filtered)				
Client Sample ID: SS MD T+2		Date Received: 01/23/12		LIMS Source: ST_SSPG				
Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
Antimony, Sb	< 0.5	UG/L	0.03	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Arsenic, As	< 2	UG/L	0.07	2	EPA 200.8	01/25/12	12025IPMW0	GM
Barium, Ba	39.5	UG/L	0.02	0.1	EPA 200.8	01/25/12	12025IPMW0	GM
Beryllium, Be	< 0.5	UG/L	0.04	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Cadmium, Cd	< 0.25	UG/L	0.006	0.25	EPA 200.8	01/25/12	12025IPMW0	GM
Chromium, Cr	3.5525	UG/L	0.004	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Cobalt, Co	0.7474	UG/L	0.005	0.025	EPA 200.8	01/25/12	12025IPMW0	GM
Copper, Cu	5.5175	UG/L	0.03	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Iron, Fe	848.75	UG/L	1	5	EPA 200.8	01/25/12	12025SICN0	GM
Lead, Pb	< 0.5	UG/L	0.02	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Manganese, Mn	25.75	UG/L	0.03	0.15	EPA 200.8	01/25/12	12025IPMW0	GM
Molybdenum, Mo	0.6455	UG/L	0.07	0.35	EPA 200.8	01/25/12	12025IPMW0	GM
Nickel, Ni	4.085	UG/L	0.02	1	EPA 200.8	01/25/12	12025IPMW0	GM
Selenium, Se	< 2	UG/L	0.03	2	EPA 200.8	01/25/12	12025IPMW0	GM
Silver, Ag	< 0.25	UG/L	0.003	0.25	EPA 200.8	01/25/12	12025IPMW0	GM
Thallium, Tl	< 1	UG/L	0.01	1	EPA 200.8	01/25/12	12025IPMW0	GM
Vanadium, V	3.4838	UG/L	0.007	0.035	EPA 200.8	01/25/12	12025IPMW0	GM
Zinc, Zn	54.775	UG/L	0.2	1	EPA 200.8	01/25/12	12025IPMW0	GM
Mercury, Hg	< 0.2	UG/L	0.02	0.2	EPA 245.1	02/13/12	12044HGWW0	MNG

LIMS ID: 1201230521		Date Collected: 01/20/12 19:45		Sample Matrix: (Field Filtered)				
Client Sample ID: SS MD T+1		Date Received: 01/23/12		LIMS Source: ST_SSPG				
Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
Antimony, Sb	< 0.5	UG/L	0.03	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Arsenic, As	< 2	UG/L	0.07	2	EPA 200.8	01/25/12	12025IPMW0	GM
Barium, Ba	34.7	UG/L	0.02	0.1	EPA 200.8	01/25/12	12025IPMW0	GM
Beryllium, Be	< 0.5	UG/L	0.04	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Cadmium, Cd	< 0.25	UG/L	0.006	0.25	EPA 200.8	01/25/12	12025IPMW0	GM
Chromium, Cr	3.3388	UG/L	0.004	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Cobalt, Co	0.6683	UG/L	0.005	0.025	EPA 200.8	01/25/12	12025IPMW0	GM

Copper, Cu	5.4925	UG/L	0.03	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Iron, Fe	825.625	UG/L	1	5	EPA 200.8	01/25/12	12025SICN0	GM
Lead, Pb	< 0.5	UG/L	0.02	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Manganese, Mn	25.9875	UG/L	0.03	0.15	EPA 200.8	01/25/12	12025IPMW0	GM
Molybdenum, Mo	0.6221	UG/L	0.07	0.35	EPA 200.8	01/25/12	12025IPMW0	GM
Nickel, Ni	3.7838	UG/L	0.02	1	EPA 200.8	01/25/12	12025IPMW0	GM
Selenium, Se	< 2	UG/L	0.03	2	EPA 200.8	01/25/12	12025IPMW0	GM
Silver, Ag	< 0.25	UG/L	0.003	0.25	EPA 200.8	01/25/12	12025IPMW0	GM
Thallium, Tl	< 1	UG/L	0.01	1	EPA 200.8	01/25/12	12025IPMW0	GM
Vanadium, V	3.67	UG/L	0.007	0.035	EPA 200.8	01/25/12	12025IPMW0	GM
Zinc, Zn	63.55	UG/L	0.2	1	EPA 200.8	01/25/12	12025IPMW0	GM
Mercury, Hg	< 0.2	UG/L	0.02	0.2	EPA 245.1	02/13/12	12044HGWW0	MNG

LIMS ID: 1201230522 **Date Collected:** 01/20/12 20:45 **Sample Matrix:**
Client Sample ID: SS VOA T+2 **Date Received:** 01/23/12 **LIMS Source:** ST_SSPG

Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
1,1,1-Trichloroethane	< 0.064	UG/L	0.064	1	EPA 624	01/24/12	120246240	LC
1,1,2,2-Tetrachloroethane	< 0.064	UG/L	0.064	1	EPA 624	01/24/12	120246240	LC
1,1,2-Trichloroethane	< 0.053	UG/L	0.053	1	EPA 624	01/24/12	120246240	LC
1,1-Dichloroethane	< 0.047	UG/L	0.047	1	EPA 624	01/24/12	120246240	LC
1,1-Dichloroethylene	< 0.038	UG/L	0.038	1	EPA 624	01/24/12	120246240	LC
1,2-Dichlorobenzene	< 0.045	UG/L	0.045	1	EPA 624	01/24/12	120246240	LC
1,2-Dichloroethane	< 0.052	UG/L	0.052	1	EPA 624	01/24/12	120246240	LC
1,2-Dichloropropane	< 0.038	UG/L	0.038	1	EPA 624	01/24/12	120246240	LC
1,2-dimethylbenzene	< 0.048	UG/L	0.048	1	EPA 624	01/24/12	120246240	LC
1,3(1,4)-dimethylbenzene	< 0.06	UG/L	0.06	1	EPA 624	01/24/12	120246240	LC
1,3-Dichlorobenzene	< 0.054	UG/L	0.054	1	EPA 624	01/24/12	120246240	LC
1,4-Dichlorobenzene	< 0.09	UG/L	0.09	1	EPA 624	01/24/12	120246240	LC
2-Chloroethyl vinyl ether	< 0.095	UG/L	0.095	1	EPA 624	01/24/12	120246240	LC
Benzene	< 0.051	UG/L	0.051	1	EPA 624	01/24/12	120246240	LC
Bromodichloromethane	< 0.065	UG/L	0.065	1	EPA 624	01/24/12	120246240	LC
Bromoform	< 0.078	UG/L	0.078	1	EPA 624	01/24/12	120246240	LC
Bromomethane	< 0.067	UG/L	0.067	1	EPA 624	01/24/12	120246240	LC
Carbon tetrachloride	< 0.068	UG/L	0.068	1	EPA 624	01/24/12	120246240	LC
Chlorobenzene	< 0.052	UG/L	0.052	1	EPA 624	01/24/12	120246240	LC
Chloroethane	< 0.326	UG/L	0.326	1	EPA 624	01/24/12	120246240	LC
Chloroform	< 0.055	UG/L	0.055	1	EPA 624	01/24/12	120246240	LC
Chloromethane	DNQ 0.671	UG/L	0.543	1	EPA 624	01/24/12	120246240	LC
Dibromochloromethane	< 0.039	UG/L	0.039	1	EPA 624	01/24/12	120246240	LC
Dichlorodifluoromethane (F-12)	< 0.066	UG/L	0.066	1	EPA 624	01/24/12	120246240	LC
Ethylbenzene	< 0.041	UG/L	0.041	1	EPA 624	01/24/12	120246240	LC
Methyl t-butyl ether	< 0.053	UG/L	0.053	1	EPA 624	01/24/12	120246240	LC
Methylene chloride	< 0.032	UG/L	0.032	1	EPA 624	01/24/12	120246240	LC
Tetrachloroethylene	< 0.087	UG/L	0.087	1	EPA 624	01/24/12	120246240	LC
Toluene	< 0.061	UG/L	0.061	1	EPA 624	01/24/12	120246240	LC
Trichloroethylene	< 0.058	UG/L	0.058	1	EPA 624	01/24/12	120246240	LC
Trichlorofluoromethane (F-11)	< 0.039	UG/L	0.039	1	EPA 624	01/24/12	120246240	LC
Vinyl chloride	< 0.446	UG/L	0.446	1	EPA 624	01/24/12	120246240	LC
cis-1,3-dichloropropene	< 0.054	UG/L	0.054	1	EPA 624	01/24/12	120246240	LC
trans-1,2-Dichloroethylene	< 0.062	UG/L	0.062	1	EPA 624	01/24/12	120246240	LC
trans-1,3-Dichloropropene	< 0.053	UG/L	0.053	1	EPA 624	01/24/12	120246240	LC

LIMS ID: 1201230523 **Date Collected:** 01/20/12 19:45 **Sample Matrix:**
Client Sample ID: SS SVOA T+1 **Date Received:** 01/23/12 **LIMS Source:** ST_SSPG

Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
1,1,1-Trichloroethane	< 0.064	UG/L	0.064	1	EPA 624	01/24/12	120246240	LC
1,1,2,2-Tetrachloroethane	< 0.064	UG/L	0.064	1	EPA 624	01/24/12	120246240	LC
1,1,2-Trichloroethane	< 0.053	UG/L	0.053	1	EPA 624	01/24/12	120246240	LC
1,1-Dichloroethane	< 0.047	UG/L	0.047	1	EPA 624	01/24/12	120246240	LC
1,1-Dichloroethylene	< 0.038	UG/L	0.038	1	EPA 624	01/24/12	120246240	LC
1,2-Dichlorobenzene	< 0.045	UG/L	0.045	1	EPA 624	01/24/12	120246240	LC
1,2-Dichloroethane	< 0.052	UG/L	0.052	1	EPA 624	01/24/12	120246240	LC
1,2-Dichloropropane	< 0.038	UG/L	0.038	1	EPA 624	01/24/12	120246240	LC
1,2-dimethylbenzene	< 0.048	UG/L	0.048	1	EPA 624	01/24/12	120246240	LC
1,3(1,4)-dimethylbenzene	< 0.06	UG/L	0.06	1	EPA 624	01/24/12	120246240	LC

1,3-Dichlorobenzene	< 0.054	UG/L	0.054	1	EPA 624	01/24/12	120246240	LC
1,4-Dichlorobenzene	DNQ 0.27	UG/L	0.09	1	EPA 624	01/24/12	120246240	LC
2-Chloroethyl vinyl ether	< 0.095	UG/L	0.095	1	EPA 624	01/24/12	120246240	LC
Benzene	< 0.051	UG/L	0.051	1	EPA 624	01/24/12	120246240	LC
Bromodichloromethane	< 0.065	UG/L	0.065	1	EPA 624	01/24/12	120246240	LC
Bromoform	< 0.078	UG/L	0.078	1	EPA 624	01/24/12	120246240	LC
Bromomethane	< 0.067	UG/L	0.067	1	EPA 624	01/24/12	120246240	LC
Carbon tetrachloride	< 0.068	UG/L	0.068	1	EPA 624	01/24/12	120246240	LC
Chlorobenzene	< 0.052	UG/L	0.052	1	EPA 624	01/24/12	120246240	LC
Chloroethane	< 0.326	UG/L	0.326	1	EPA 624	01/24/12	120246240	LC
Chloroform	< 0.055	UG/L	0.055	1	EPA 624	01/24/12	120246240	LC
Chloromethane	DNQ 0.686	UG/L	0.543	1	EPA 624	01/24/12	120246240	LC
Dibromochloromethane	< 0.039	UG/L	0.039	1	EPA 624	01/24/12	120246240	LC
Dichlorodifluoromethane (F-12)	< 0.066	UG/L	0.066	1	EPA 624	01/24/12	120246240	LC
Ethylbenzene	< 0.041	UG/L	0.041	1	EPA 624	01/24/12	120246240	LC
Methyl t-butyl ether	< 0.053	UG/L	0.053	1	EPA 624	01/24/12	120246240	LC
Methylene chloride	< 0.032	UG/L	0.032	1	EPA 624	01/24/12	120246240	LC
Tetrachloroethylene	< 0.087	UG/L	0.087	1	EPA 624	01/24/12	120246240	LC
Toluene	< 0.061	UG/L	0.061	1	EPA 624	01/24/12	120246240	LC
Trichloroethylene	< 0.058	UG/L	0.058	1	EPA 624	01/24/12	120246240	LC
Trichlorofluoromethane (F-11)	< 0.039	UG/L	0.039	1	EPA 624	01/24/12	120246240	LC
Vinyl chloride	< 0.446	UG/L	0.446	1	EPA 624	01/24/12	120246240	LC
cis-1,3-dichloropropene	< 0.054	UG/L	0.054	1	EPA 624	01/24/12	120246240	LC
trans-1,2-Dichloroethylene	< 0.062	UG/L	0.062	1	EPA 624	01/24/12	120246240	LC
trans-1,3-Dichloropropene	< 0.053	UG/L	0.053	1	EPA 624	01/24/12	120246240	LC

LIMS ID: 1201230524		Date Collected: 01/20/12 20:45		Sample Matrix:				
Client Sample ID: SS SVOC T+2		Date Received: 01/23/12		LIMS Source: ST_SSPG				
Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
1,2,4-Trichlorobenzene	< 0.53	UG/L	0.53	1	EPA 625	01/25/12	120256250	LC
1,2-Dichlorobenzene	< 0.46	UG/L	0.46	1	EPA 625	01/25/12	120256250	LC
1,2-Diphenylhydrazine	< 0.63	UG/L	0.63	1	EPA 625	01/25/12	120256250	LC
1,3-Dichlorobenzene	< 0.46	UG/L	0.46	1	EPA 625	01/25/12	120256250	LC
1,4-Dichlorobenzene	< 0.5	UG/L	0.5	1	EPA 625	01/25/12	120256250	LC
2,4,6-Trichlorophenol	< 0.99	UG/L	0.99	1	EPA 625	01/25/12	120256250	LC
2,4-Dichlorophenol	< 0.64	UG/L	0.64	1	EPA 625	01/25/12	120256250	LC
2,4-Dimethylphenol	< 0.96	UG/L	0.96	1	EPA 625	01/25/12	120256250	LC
2,4-Dinitrophenol	< 0.6	UG/L	0.6	5	EPA 625	01/25/12	120256250	LC
2,4-Dinitrotoluene	< 0.72	UG/L	0.72	1	EPA 625	01/25/12	120256250	LC
2,6-Dinitrotoluene	< 0.65	UG/L	0.65	1	EPA 625	01/25/12	120256250	LC
2-Chloronaphthalene	< 0.52	UG/L	0.52	1	EPA 625	01/25/12	120256250	LC
2-Chlorophenol	< 0.91	UG/L	0.91	1	EPA 625	01/25/12	120256250	LC
2-Nitrophenol	< 0.85	UG/L	0.85	1	EPA 625	01/25/12	120256250	LC
3,3'-Dichlorobenzidine	< 0.84	UG/L	0.84	1	EPA 625	01/25/12	120256250	LC
4,6-Dinitro-2-methylphenol	< 1.54	UG/L	1.54	2.5	EPA 625	01/25/12	120256250	LC
4-Bromophenyl phenyl ether	< 0.48	UG/L	0.48	1	EPA 625	01/25/12	120256250	LC
4-Chloro-3-methylphenol	< 0.97	UG/L	0.97	1	EPA 625	01/25/12	120256250	LC
4-Chlorophenyl phenyl ether	< 0.62	UG/L	0.62	1	EPA 625	01/25/12	120256250	LC
4-Nitrophenol	< 0.89	UG/L	0.89	5	EPA 625	01/25/12	120256250	LC
Acenaphthene	< 0.61	UG/L	0.61	1	EPA 625	01/25/12	120256250	LC
Acenaphthylene	< 0.74	UG/L	0.74	1	EPA 625	01/25/12	120256250	LC
Anthracene	< 0.41	UG/L	0.41	1	EPA 625	01/25/12	120256250	LC
Benzidine	< 0.65	UG/L	0.65	5	EPA 625	01/25/12	120256250	LC
Benzo[a]anthracene	< 0.28	UG/L	0.28	1	EPA 625	01/25/12	120256250	LC
Benzo[a]pyrene	< 0.32	UG/L	0.32	1	EPA 625	01/25/12	120256250	LC
Benzo[b]fluoranthene	< 0.31	UG/L	0.31	1	EPA 625	01/25/12	120256250	LC
Benzo[ghi]perylene	< 0.62	UG/L	0.62	1	EPA 625	01/25/12	120256250	LC
Benzo[k]fluoranthene	< 0.31	UG/L	0.31	1	EPA 625	01/25/12	120256250	LC
Bis-(2-chloroethoxy)-methane	< 0.57	UG/L	0.57	1	EPA 625	01/25/12	120256250	LC
Bis-(2-chloroethyl)-ether	< 0.45	UG/L	0.45	1	EPA 625	01/25/12	120256250	LC
Bis-(2-chloroisopropyl)-ether	< 0.25	UG/L	0.25	1	EPA 625	01/25/12	120256250	LC
Bis-(2-ethylhexyl)-phthalate	< 0.77	UG/L	0.77	1	EPA 625	01/25/12	120256250	LC
Butyl benzyl phthalate	< 0.41	UG/L	0.41	1	EPA 625	01/25/12	120256250	LC
Chrysene	< 0.31	UG/L	0.31	1	EPA 625	01/25/12	120256250	LC
Di-n-butylphthalate	< 0.44	UG/L	0.44	1	EPA 625	01/25/12	120256250	LC
Di-n-octyl phthalate	< 0.76	UG/L	0.76	1	EPA 625	01/25/12	120256250	LC
Dibenzo-[a,h]-anthracene	< 0.73	UG/L	0.73	1	EPA 625	01/25/12	120256250	LC

Diethyl phthalate	< 0.84	UG/L	0.84	1	EPA 625	01/25/12	120256250	LC
Dimethyl phthalate	< 0.81	UG/L	0.81	1	EPA 625	01/25/12	120256250	LC
Fluorene	< 0.71	UG/L	0.71	1	EPA 625	01/25/12	120256250	LC
Fuoranthene	< 0.54	UG/L	0.54	1	EPA 625	01/25/12	120256250	LC
Hexachlorobenzene	< 0.48	UG/L	0.48	1	EPA 625	01/25/12	120256250	LC
Hexachlorobutadiene	< 0.53	UG/L	0.53	1	EPA 625	01/25/12	120256250	LC
Hexachlorocyclopentadiene	< 0.9	UG/L	0.9	1	EPA 625	01/25/12	120256250	LC
Hexachloroethane	< 0.57	UG/L	0.57	1	EPA 625	01/25/12	120256250	LC
Indeno[1,2,3-cd]pyrene	< 0.67	UG/L	0.67	1	EPA 625	01/25/12	120256250	LC
Isophorone	< 0.44	UG/L	0.44	1	EPA 625	01/25/12	120256250	LC
N-nitroso-di-n-propylamine (NDPA)	< 0.57	UG/L	0.57	1	EPA 625	01/25/12	120256250	LC
N-nitroso-dimethylamine (NDMA)	< 0.25	UG/L	0.25	1	EPA 625	01/25/12	120256250	LC
N-nitroso-diphenylamine	< 0.55	UG/L	0.55	1	EPA 625	01/25/12	120256250	LC
Naphthalene	< 0.48	UG/L	0.48	1	EPA 625	01/25/12	120256250	LC
Nitrobenzene	< 0.4	UG/L	0.4	1	EPA 625	01/25/12	120256250	LC
Pentachlorophenol	< 0.94	UG/L	0.94	5	EPA 625	01/25/12	120256250	LC
Phenanthrene	< 0.48	UG/L	0.48	1	EPA 625	01/25/12	120256250	LC
Phenol	< 0.47	UG/L	0.47	1	EPA 625	01/25/12	120256250	LC
Pyrene	< 0.4	UG/L	0.4	1	EPA 625	01/25/12	120256250	LC

LIMS ID: 1201230525		Date Collected: 01/20/12 19:45		Sample Matrix:				
Client Sample ID: SS SVOC T+1		Date Received: 01/23/12		LIMS Source: ST_SSPG				
Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
1,2,4-Trichlorobenzene	< 0.53	UG/L	0.53	1	EPA 625	01/25/12	120256250	LC
1,2-Dichlorobenzene	< 0.46	UG/L	0.46	1	EPA 625	01/25/12	120256250	LC
1,2-Diphenylhydrazine	< 0.63	UG/L	0.63	1	EPA 625	01/25/12	120256250	LC
1,3-Dichlorobenzene	< 0.46	UG/L	0.46	1	EPA 625	01/25/12	120256250	LC
1,4-Dichlorobenzene	< 0.5	UG/L	0.5	1	EPA 625	01/25/12	120256250	LC
2,4,6-Trichlorophenol	< 0.99	UG/L	0.99	1	EPA 625	01/25/12	120256250	LC
2,4-Dichlorophenol	< 0.64	UG/L	0.64	1	EPA 625	01/25/12	120256250	LC
2,4-Dimethylphenol	< 0.96	UG/L	0.96	1	EPA 625	01/25/12	120256250	LC
2,4-Dinitrophenol	< 0.6	UG/L	0.6	5	EPA 625	01/25/12	120256250	LC
2,4-Dinitrotoluene	< 0.72	UG/L	0.72	1	EPA 625	01/25/12	120256250	LC
2,6-Dinitrotoluene	< 0.65	UG/L	0.65	1	EPA 625	01/25/12	120256250	LC
2-Chloronaphthalene	< 0.52	UG/L	0.52	1	EPA 625	01/25/12	120256250	LC
2-Chlorophenol	< 0.91	UG/L	0.91	1	EPA 625	01/25/12	120256250	LC
2-Nitrophenol	< 0.85	UG/L	0.85	1	EPA 625	01/25/12	120256250	LC
3,3'-Dichlorobenzidine	< 0.84	UG/L	0.84	1	EPA 625	01/25/12	120256250	LC
4,6-Dinitro-2-methylphenol	< 1.54	UG/L	1.54	2.5	EPA 625	01/25/12	120256250	LC
4-Bromophenyl phenyl ether	< 0.48	UG/L	0.48	1	EPA 625	01/25/12	120256250	LC
4-Chloro-3-methylphenol	< 0.97	UG/L	0.97	1	EPA 625	01/25/12	120256250	LC
4-Chlorophenyl phenyl ether	< 0.62	UG/L	0.62	1	EPA 625	01/25/12	120256250	LC
4-Nitrophenol	< 0.89	UG/L	0.89	5	EPA 625	01/25/12	120256250	LC
Acenaphthene	< 0.61	UG/L	0.61	1	EPA 625	01/25/12	120256250	LC
Acenaphthylene	< 0.74	UG/L	0.74	1	EPA 625	01/25/12	120256250	LC
Anthracene	< 0.41	UG/L	0.41	1	EPA 625	01/25/12	120256250	LC
Benzidine	< 0.65	UG/L	0.65	5	EPA 625	01/25/12	120256250	LC
Benzo[a]anthracene	< 0.28	UG/L	0.28	1	EPA 625	01/25/12	120256250	LC
Benzo[a]pyrene	< 0.32	UG/L	0.32	1	EPA 625	01/25/12	120256250	LC
Benzo[b]fluoranthene	< 0.31	UG/L	0.31	1	EPA 625	01/25/12	120256250	LC
Benzo[ghi]perylene	< 0.62	UG/L	0.62	1	EPA 625	01/25/12	120256250	LC
Benzo[k]fluoranthene	< 0.31	UG/L	0.31	1	EPA 625	01/25/12	120256250	LC
Bis-(2-chloroethoxy)-methane	< 0.57	UG/L	0.57	1	EPA 625	01/25/12	120256250	LC
Bis-(2-chloroethyl)-ether	< 0.45	UG/L	0.45	1	EPA 625	01/25/12	120256250	LC
Bis-(2-chloroisopropyl)-ether	< 0.25	UG/L	0.25	1	EPA 625	01/25/12	120256250	LC
Bis-(2-ethylhexyl)-phthalate	3.97	UG/L	0.77	1	EPA 625	01/25/12	120256250	LC
Butyl benzyl phthalate	< 0.41	UG/L	0.41	1	EPA 625	01/25/12	120256250	LC
Chrysene	< 0.31	UG/L	0.31	1	EPA 625	01/25/12	120256250	LC
Di-n-butylphthalate	< 0.44	UG/L	0.44	1	EPA 625	01/25/12	120256250	LC
Di-n-octyl phthalate	< 0.76	UG/L	0.76	1	EPA 625	01/25/12	120256250	LC
Dibenzo-[a,h]-anthracene	< 0.73	UG/L	0.73	1	EPA 625	01/25/12	120256250	LC
Diethyl phthalate	< 0.84	UG/L	0.84	1	EPA 625	01/25/12	120256250	LC
Dimethyl phthalate	< 0.81	UG/L	0.81	1	EPA 625	01/25/12	120256250	LC
Fluorene	< 0.71	UG/L	0.71	1	EPA 625	01/25/12	120256250	LC
Fuoranthene	< 0.54	UG/L	0.54	1	EPA 625	01/25/12	120256250	LC
Hexachlorobenzene	< 0.48	UG/L	0.48	1	EPA 625	01/25/12	120256250	LC
Hexachlorobutadiene	< 0.53	UG/L	0.53	1	EPA 625	01/25/12	120256250	LC

Hexachlorocyclopentadiene	< 0.9	UG/L	0.9	1	EPA 625	01/25/12	120256250	LC
Hexachloroethane	< 0.57	UG/L	0.57	1	EPA 625	01/25/12	120256250	LC
Indeno[1,2,3-cd]pyrene	< 0.67	UG/L	0.67	1	EPA 625	01/25/12	120256250	LC
Isophorone	< 0.44	UG/L	0.44	1	EPA 625	01/25/12	120256250	LC
N-nitroso-di-n-propylamine (NDPA)	< 0.57	UG/L	0.57	1	EPA 625	01/25/12	120256250	LC
N-nitroso-dimethylamine (NDMA)	< 0.25	UG/L	0.25	1	EPA 625	01/25/12	120256250	LC
N-nitroso-diphenylamine	< 0.55	UG/L	0.55	1	EPA 625	01/25/12	120256250	LC
Naphthalene	< 0.48	UG/L	0.48	1	EPA 625	01/25/12	120256250	LC
Nitrobenzene	< 0.4	UG/L	0.4	1	EPA 625	01/25/12	120256250	LC
Pentachlorophenol	< 0.94	UG/L	0.94	5	EPA 625	01/25/12	120256250	LC
Phenanthrene	< 0.48	UG/L	0.48	1	EPA 625	01/25/12	120256250	LC
Phenol	< 0.47	UG/L	0.47	1	EPA 625	01/25/12	120256250	LC
Pyrene	< 0.4	UG/L	0.4	1	EPA 625	01/25/12	120256250	LC

LIMS ID:	1201230526	Date Collected:	01/20/12	20:45	Sample Matrix:			
Client Sample ID:	SS TDS T+2	Date Received:	01/23/12		LIMS Source:	ST_SSPG		
Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
Total Dissolved Solids	132	MG/L	24		SM 2540 C	01/24/12	12024STDS0	KH

LIMS ID:	1201230527	Date Collected:	01/20/12	19:45	Sample Matrix:			
Client Sample ID:	SS TDS T+1	Date Received:	01/23/12		LIMS Source:	ST_SSPG		
Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
Total Dissolved Solids	164	MG/L	24		SM 2540 C	01/24/12	12024STDS0	KH

LIMS ID:	1201230528	Date Collected:	01/20/12	20:45	Sample Matrix:			
Client Sample ID:	SS TSS T+2	Date Received:	01/23/12		LIMS Source:	ST_SSPG		
Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
Total Suspended Solids	16.5	MG/L	7		SM 2540 D	01/25/12	12025STSS0	CB

LIMS ID:	1201230529	Date Collected:	01/20/12	19:45	Sample Matrix:			
Client Sample ID:	SS TSS T+1	Date Received:	01/23/12		LIMS Source:	ST_SSPG		
Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
Total Suspended Solids	7	MG/L	7		SM 2540 D	01/25/12	12025STSS0	CB

LIMS ID:	1201230530	Date Collected:	01/20/12	20:40	Sample Matrix:			
Client Sample ID:	GS VOA T+2	Date Received:	01/23/12		LIMS Source:	ST_GARSQ		
Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
1,1,1-Trichloroethane	< 0.064	UG/L	0.064	1	EPA 624	01/24/12	120246240	LC
1,1,2,2-Tetrachloroethane	< 0.064	UG/L	0.064	1	EPA 624	01/24/12	120246240	LC
1,1,2-Trichloroethane	< 0.053	UG/L	0.053	1	EPA 624	01/24/12	120246240	LC
1,1-Dichloroethane	< 0.047	UG/L	0.047	1	EPA 624	01/24/12	120246240	LC
1,1-Dichloroethylene	< 0.038	UG/L	0.038	1	EPA 624	01/24/12	120246240	LC
1,2-Dichlorobenzene	DNQ 0.172	UG/L	0.045	1	EPA 624	01/24/12	120246240	LC
1,2-Dichloroethane	< 0.052	UG/L	0.052	1	EPA 624	01/24/12	120246240	LC
1,2-Dichloropropane	< 0.038	UG/L	0.038	1	EPA 624	01/24/12	120246240	LC
1,2-dimethylbenzene	< 0.048	UG/L	0.048	1	EPA 624	01/24/12	120246240	LC
1,3(1,4)-dimethylbenzene	DNQ 0.089	UG/L	0.06	1	EPA 624	01/24/12	120246240	LC
1,3-Dichlorobenzene	DNQ 0.228	UG/L	0.054	1	EPA 624	01/24/12	120246240	LC
1,4-Dichlorobenzene	DNQ 0.291	UG/L	0.09	1	EPA 624	01/24/12	120246240	LC
2-Chloroethyl vinyl ether	< 0.095	UG/L	0.095	1	EPA 624	01/24/12	120246240	LC
Benzene	< 0.051	UG/L	0.051	1	EPA 624	01/24/12	120246240	LC
Bromodichloromethane	< 0.065	UG/L	0.065	1	EPA 624	01/24/12	120246240	LC
Bromoform	< 0.078	UG/L	0.078	1	EPA 624	01/24/12	120246240	LC
Bromomethane	< 0.067	UG/L	0.067	1	EPA 624	01/24/12	120246240	LC
Carbon tetrachloride	< 0.068	UG/L	0.068	1	EPA 624	01/24/12	120246240	LC
Chlorobenzene	< 0.052	UG/L	0.052	1	EPA 624	01/24/12	120246240	LC
Chloroethane	< 0.326	UG/L	0.326	1	EPA 624	01/24/12	120246240	LC
Chloroform	< 0.055	UG/L	0.055	1	EPA 624	01/24/12	120246240	LC
Chloromethane	DNQ 0.837	UG/L	0.543	1	EPA 624	01/24/12	120246240	LC

Dibromochloromethane	< 0.039	UG/L	0.039	1	EPA 624	01/24/12	120246240	LC
Dichlorodifluoromethane (F-12)	< 0.066	UG/L	0.066	1	EPA 624	01/24/12	120246240	LC
Ethylbenzene	< 0.041	UG/L	0.041	1	EPA 624	01/24/12	120246240	LC
Methyl t-butyl ether	< 0.053	UG/L	0.053	1	EPA 624	01/24/12	120246240	LC
Methylene chloride	< 0.032	UG/L	0.032	1	EPA 624	01/24/12	120246240	LC
Tetrachloroethylene	< 0.087	UG/L	0.087	1	EPA 624	01/24/12	120246240	LC
Toluene	< 0.061	UG/L	0.061	1	EPA 624	01/24/12	120246240	LC
Trichloroethylene	< 0.058	UG/L	0.058	1	EPA 624	01/24/12	120246240	LC
Trichlorofluoromethane (F-11)	< 0.039	UG/L	0.039	1	EPA 624	01/24/12	120246240	LC
Vinyl chloride	< 0.446	UG/L	0.446	1	EPA 624	01/24/12	120246240	LC
cis-1,3-dichloropropene	< 0.054	UG/L	0.054	1	EPA 624	01/24/12	120246240	LC
trans-1,2-Dichloroethylene	< 0.062	UG/L	0.062	1	EPA 624	01/24/12	120246240	LC
trans-1,3-Dichloropropene	< 0.053	UG/L	0.053	1	EPA 624	01/24/12	120246240	LC

LIMS ID:	1201230531	Date Collected:	01/20/12	19:30	Sample Matrix:	
Client Sample ID:	GS SVOA T+1	Date Received:	01/23/12		LIMS Source:	ST_GARSQ

Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
1,1,1-Trichloroethane	< 0.064	UG/L	0.064	1	EPA 624	01/24/12	120246240	LC
1,1,2,2-Tetrachloroethane	< 0.064	UG/L	0.064	1	EPA 624	01/24/12	120246240	LC
1,1,2-Trichloroethane	< 0.053	UG/L	0.053	1	EPA 624	01/24/12	120246240	LC
1,1-Dichloroethane	< 0.047	UG/L	0.047	1	EPA 624	01/24/12	120246240	LC
1,1-Dichloroethylene	< 0.038	UG/L	0.038	1	EPA 624	01/24/12	120246240	LC
1,2-Dichlorobenzene	DNQ 0.208	UG/L	0.045	1	EPA 624	01/24/12	120246240	LC
1,2-Dichloroethane	< 0.052	UG/L	0.052	1	EPA 624	01/24/12	120246240	LC
1,2-Dichloropropane	< 0.038	UG/L	0.038	1	EPA 624	01/24/12	120246240	LC
1,2-dimethylbenzene	DNQ 0.1	UG/L	0.048	1	EPA 624	01/24/12	120246240	LC
1,3(1,4)-dimethylbenzene	DNQ 0.094	UG/L	0.06	1	EPA 624	01/24/12	120246240	LC
1,3-Dichlorobenzene	DNQ 0.252	UG/L	0.054	1	EPA 624	01/24/12	120246240	LC
1,4-Dichlorobenzene	DNQ 0.319	UG/L	0.09	1	EPA 624	01/24/12	120246240	LC
2-Chloroethyl vinyl ether	< 0.095	UG/L	0.095	1	EPA 624	01/24/12	120246240	LC
Benzene	< 0.051	UG/L	0.051	1	EPA 624	01/24/12	120246240	LC
Bromodichloromethane	< 0.065	UG/L	0.065	1	EPA 624	01/24/12	120246240	LC
Bromoform	< 0.078	UG/L	0.078	1	EPA 624	01/24/12	120246240	LC
Bromomethane	< 0.067	UG/L	0.067	1	EPA 624	01/24/12	120246240	LC
Carbon tetrachloride	< 0.068	UG/L	0.068	1	EPA 624	01/24/12	120246240	LC
Chlorobenzene	< 0.052	UG/L	0.052	1	EPA 624	01/24/12	120246240	LC
Chloroethane	< 0.326	UG/L	0.326	1	EPA 624	01/24/12	120246240	LC
Chloroform	< 0.055	UG/L	0.055	1	EPA 624	01/24/12	120246240	LC
Chloromethane	DNQ 0.701	UG/L	0.543	1	EPA 624	01/24/12	120246240	LC
Dibromochloromethane	< 0.039	UG/L	0.039	1	EPA 624	01/24/12	120246240	LC
Dichlorodifluoromethane (F-12)	< 0.066	UG/L	0.066	1	EPA 624	01/24/12	120246240	LC
Ethylbenzene	< 0.041	UG/L	0.041	1	EPA 624	01/24/12	120246240	LC
Methyl t-butyl ether	< 0.053	UG/L	0.053	1	EPA 624	01/24/12	120246240	LC
Methylene chloride	< 0.032	UG/L	0.032	1	EPA 624	01/24/12	120246240	LC
Tetrachloroethylene	< 0.087	UG/L	0.087	1	EPA 624	01/24/12	120246240	LC
Toluene	< 0.061	UG/L	0.061	1	EPA 624	01/24/12	120246240	LC
Trichloroethylene	< 0.058	UG/L	0.058	1	EPA 624	01/24/12	120246240	LC
Trichlorofluoromethane (F-11)	< 0.039	UG/L	0.039	1	EPA 624	01/24/12	120246240	LC
Vinyl chloride	< 0.446	UG/L	0.446	1	EPA 624	01/24/12	120246240	LC
cis-1,3-dichloropropene	< 0.054	UG/L	0.054	1	EPA 624	01/24/12	120246240	LC
trans-1,2-Dichloroethylene	< 0.062	UG/L	0.062	1	EPA 624	01/24/12	120246240	LC
trans-1,3-Dichloropropene	< 0.053	UG/L	0.053	1	EPA 624	01/24/12	120246240	LC

LIMS ID:	1201230532	Date Collected:	01/20/12	20:40	Sample Matrix:	(Field Filtered)
Client Sample ID:	GS MD T+2	Date Received:	01/23/12		LIMS Source:	ST_GARSQ

Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
Antimony, Sb	0.6934	UG/L	0.03	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Arsenic, As	< 2	UG/L	0.07	2	EPA 200.8	01/25/12	12025IPMW0	GM
Barium, Ba	71.7	UG/L	0.02	0.1	EPA 200.8	01/25/12	12025IPMW0	GM
Beryllium, Be	< 0.5	UG/L	0.04	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Cadmium, Cd	< 0.25	UG/L	0.006	0.25	EPA 200.8	01/25/12	12025IPMW0	GM
Chromium, Cr	0.5864	UG/L	0.004	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Cobalt, Co	0.5774	UG/L	0.005	0.025	EPA 200.8	01/25/12	12025IPMW0	GM
Copper, Cu	15.7	UG/L	0.03	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Iron, Fe	39.3125	UG/L	1	5	EPA 200.8	01/25/12	12025SICN0	GM

Lead, Pb	< 0.5	UG/L	0.02	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Manganese, Mn	3.8725	UG/L	0.03	0.15	EPA 200.8	01/25/12	12025IPMW0	GM
Molybdenum, Mo	10.0013	UG/L	0.07	0.35	EPA 200.8	01/25/12	12025IPMW0	GM
Nickel, Ni	6.0488	UG/L	0.02	1	EPA 200.8	01/25/12	12025IPMW0	GM
Selenium, Se	< 2	UG/L	0.03	2	EPA 200.8	01/25/12	12025IPMW0	GM
Silver, Ag	< 0.25	UG/L	0.003	0.25	EPA 200.8	01/25/12	12025IPMW0	GM
Thallium, Tl	< 1	UG/L	0.01	1	EPA 200.8	01/25/12	12025IPMW0	GM
Vanadium, V	1.8863	UG/L	0.007	0.035	EPA 200.8	01/25/12	12025IPMW0	GM
Zinc, Zn	87.8875	UG/L	0.2	1	EPA 200.8	01/25/12	12025IPMW0	GM
Mercury, Hg	< 0.2	UG/L	0.02	0.2	EPA 245.1	02/13/12	12044HGWW0	MNG

LIMS ID: 1201230533		Date Collected: 01/20/12 19:30		Sample Matrix: (Field Filtered)				
Client Sample ID: GS MD T+1		Date Received: 01/23/12		LIMS Source: ST_GARSQ				
Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
Antimony, Sb	0.7105	UG/L	0.03	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Arsenic, As	< 2	UG/L	0.07	2	EPA 200.8	01/25/12	12025IPMW0	GM
Barium, Ba	67.1875	UG/L	0.02	0.1	EPA 200.8	01/25/12	12025IPMW0	GM
Beryllium, Be	< 0.5	UG/L	0.04	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Cadmium, Cd	< 0.25	UG/L	0.006	0.25	EPA 200.8	01/25/12	12025IPMW0	GM
Chromium, Cr	< 0.5	UG/L	0.004	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Cobalt, Co	0.55	UG/L	0.005	0.025	EPA 200.8	01/25/12	12025IPMW0	GM
Copper, Cu	14.4375	UG/L	0.03	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Iron, Fe	36.8875	UG/L	1	5	EPA 200.8	01/25/12	12025SICN0	GM
Lead, Pb	< 0.5	UG/L	0.02	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Manganese, Mn	1.73	UG/L	0.03	0.15	EPA 200.8	01/25/12	12025IPMW0	GM
Molybdenum, Mo	10.5838	UG/L	0.07	0.35	EPA 200.8	01/25/12	12025IPMW0	GM
Nickel, Ni	4.9688	UG/L	0.02	1	EPA 200.8	01/25/12	12025IPMW0	GM
Selenium, Se	< 2	UG/L	0.03	2	EPA 200.8	01/25/12	12025IPMW0	GM
Silver, Ag	< 0.25	UG/L	0.003	0.25	EPA 200.8	01/25/12	12025IPMW0	GM
Thallium, Tl	< 1	UG/L	0.01	1	EPA 200.8	01/25/12	12025IPMW0	GM
Vanadium, V	1.5425	UG/L	0.007	0.035	EPA 200.8	01/25/12	12025IPMW0	GM
Zinc, Zn	52.0875	UG/L	0.2	1	EPA 200.8	01/25/12	12025IPMW0	GM
Mercury, Hg	< 0.2	UG/L	0.02	0.2	EPA 245.1	02/13/12	12044HGWW0	MNG

LIMS ID: 1201230534		Date Collected: 01/20/12 20:40		Sample Matrix:				
Client Sample ID: GS MT T+2		Date Received: 01/23/12		LIMS Source: ST_GARSQ				
Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
Antimony, Sb	0.7033	UG/L	0.03	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Arsenic, As	< 2	UG/L	0.07	2	EPA 200.8	01/25/12	12025IPMW0	GM
Barium, Ba	80.7375	UG/L	0.02	0.1	EPA 200.8	01/25/12	12025IPMW0	GM
Beryllium, Be	< 0.5	UG/L	0.04	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Cadmium, Cd	< 0.25	UG/L	0.006	0.25	EPA 200.8	01/25/12	12025IPMW0	GM
Chromium, Cr	0.7496	UG/L	0.004	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Cobalt, Co	0.8356	UG/L	0.005	0.025	EPA 200.8	01/25/12	12025IPMW0	GM
Copper, Cu	15.775	UG/L	0.03	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Iron, Fe	255.375	UG/L	1	5	EPA 200.8	01/25/12	12025SICN0	GM
Lead, Pb	< 0.5	UG/L	0.02	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Manganese, Mn	6.97	UG/L	0.03	0.15	EPA 200.8	01/25/12	12025IPMW0	GM
Molybdenum, Mo	10.61	UG/L	0.07	0.35	EPA 200.8	01/25/12	12025IPMW0	GM
Nickel, Ni	7.0913	UG/L	0.02	1	EPA 200.8	01/25/12	12025IPMW0	GM
Selenium, Se	< 2	UG/L	0.03	2	EPA 200.8	01/25/12	12025IPMW0	GM
Silver, Ag	< 0.25	UG/L	0.003	0.25	EPA 200.8	01/25/12	12025IPMW0	GM
Thallium, Tl	< 1	UG/L	0.01	1	EPA 200.8	01/25/12	12025IPMW0	GM
Vanadium, V	2.4513	UG/L	0.007	0.035	EPA 200.8	01/25/12	12025IPMW0	GM
Zinc, Zn	103.925	UG/L	0.2	1	EPA 200.8	01/25/12	12025IPMW0	GM
Mercury, Hg	< 0.2	UG/L	0.02	0.2	EPA 245.1	02/13/12	12044HGWW0	MNG

LIMS ID: 1201230535		Date Collected: 01/20/12 19:30		Sample Matrix:				
Client Sample ID: GS MT T+1		Date Received: 01/23/12		LIMS Source: ST_GARSQ				
Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
Antimony, Sb	0.6735	UG/L	0.03	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Arsenic, As	< 2	UG/L	0.07	2	EPA 200.8	01/25/12	12025IPMW0	GM
Barium, Ba	65.4625	UG/L	0.02	0.1	EPA 200.8	01/25/12	12025IPMW0	GM

Beryllium, Be	< 0.5	UG/L	0.04	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Cadmium, Cd	< 0.25	UG/L	0.006	0.25	EPA 200.8	01/25/12	12025IPMW0	GM
Chromium, Cr	< 0.5	UG/L	0.004	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Cobalt, Co	0.5468	UG/L	0.005	0.025	EPA 200.8	01/25/12	12025IPMW0	GM
Copper, Cu	14.4375	UG/L	0.03	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Iron, Fe	47.2125	UG/L	1	5	EPA 200.8	01/25/12	12025SICN0	GM
Lead, Pb	< 0.5	UG/L	0.02	0.5	EPA 200.8	01/25/12	12025IPMW0	GM
Manganese, Mn	1.8063	UG/L	0.03	0.15	EPA 200.8	01/25/12	12025IPMW0	GM
Molybdenum, Mo	10.7375	UG/L	0.07	0.35	EPA 200.8	01/25/12	12025IPMW0	GM
Nickel, Ni	4.9538	UG/L	0.02	1	EPA 200.8	01/25/12	12025IPMW0	GM
Selenium, Se	< 2	UG/L	0.03	2	EPA 200.8	01/25/12	12025IPMW0	GM
Silver, Ag	< 0.25	UG/L	0.003	0.25	EPA 200.8	01/25/12	12025IPMW0	GM
Thallium, Tl	< 1	UG/L	0.01	1	EPA 200.8	01/25/12	12025IPMW0	GM
Vanadium, V	1.5338	UG/L	0.007	0.035	EPA 200.8	01/25/12	12025IPMW0	GM
Zinc, Zn	46.575	UG/L	0.2	1	EPA 200.8	01/25/12	12025IPMW0	GM
Mercury, Hg	< 0.2	UG/L	0.02	0.2	EPA 245.1	02/13/12	12044HGWW0	MNG

LIMS ID:	1201230536	Date Collected:	01/20/12	20:40	Sample Matrix:			
Client Sample ID:	GS TSS T+2	Date Received:	01/23/12		LIMS Source:	ST_GARSQ		
Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
Total Suspended Solids	< 7	MG/L	7		SM 2540 D	01/25/12	12025STSS0	CB

LIMS ID:	1201230537	Date Collected:	01/20/12	19:30	Sample Matrix:			
Client Sample ID:	GS TSS T+1	Date Received:	01/23/12		LIMS Source:	ST_GARSQ		
Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
Total Suspended Solids	< 7	MG/L	7		SM 2540 D	01/25/12	12025STSS0	CB

LIMS ID:	1201230538	Date Collected:	01/20/12	20:40	Sample Matrix:			
Client Sample ID:	GS TDS T+2	Date Received:	01/23/12		LIMS Source:	ST_GARSQ		
Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
Total Dissolved Solids	294	MG/L	24		SM 2540 C	01/24/12	12024STDS0	KH

LIMS ID:	1201230539	Date Collected:	01/20/12	19:30	Sample Matrix:			
Client Sample ID:	GS TDS T+1	Date Received:	01/23/12		LIMS Source:	ST_GARSQ		
Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
Total Dissolved Solids	282	MG/L	24		SM 2540 C	01/24/12	12024STDS0	KH

LIMS ID:	1201230540	Date Collected:	01/20/12	20:40	Sample Matrix:			
Client Sample ID:	GS SVOC T+2	Date Received:	01/23/12		LIMS Source:	ST_GARSQ		
Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
1,2,4-Trichlorobenzene	< 0.53	UG/L	0.53	1	EPA 625	01/25/12	120256250	LC
1,2-Dichlorobenzene	< 0.46	UG/L	0.46	1	EPA 625	01/25/12	120256250	LC
1,2-Diphenylhydrazine	< 0.63	UG/L	0.63	1	EPA 625	01/25/12	120256250	LC
1,3-Dichlorobenzene	< 0.46	UG/L	0.46	1	EPA 625	01/25/12	120256250	LC
1,4-Dichlorobenzene	< 0.5	UG/L	0.5	1	EPA 625	01/25/12	120256250	LC
2,4,6-Trichlorophenol	< 0.99	UG/L	0.99	1	EPA 625	01/25/12	120256250	LC
2,4-Dichlorophenol	< 0.64	UG/L	0.64	1	EPA 625	01/25/12	120256250	LC
2,4-Dimethylphenol	< 0.96	UG/L	0.96	1	EPA 625	01/25/12	120256250	LC
2,4-Dinitrophenol	< 0.6	UG/L	0.6	5	EPA 625	01/25/12	120256250	LC
2,4-Dinitrotoluene	< 0.72	UG/L	0.72	1	EPA 625	01/25/12	120256250	LC
2,6-Dinitrotoluene	< 0.65	UG/L	0.65	1	EPA 625	01/25/12	120256250	LC
2-Chloronaphthalene	< 0.52	UG/L	0.52	1	EPA 625	01/25/12	120256250	LC
2-Chlorophenol	< 0.91	UG/L	0.91	1	EPA 625	01/25/12	120256250	LC
2-Nitrophenol	< 0.85	UG/L	0.85	1	EPA 625	01/25/12	120256250	LC
3,3'-Dichlorobenzidine	< 0.84	UG/L	0.84	1	EPA 625	01/25/12	120256250	LC
4,6-Dinitro-2-methylphenol	< 1.54	UG/L	1.54	2.5	EPA 625	01/25/12	120256250	LC
4-Bromophenyl phenyl ether	< 0.48	UG/L	0.48	1	EPA 625	01/25/12	120256250	LC
4-Chloro-3-methylphenol	< 0.97	UG/L	0.97	1	EPA 625	01/25/12	120256250	LC
4-Chlorophenyl phenyl ether	< 0.62	UG/L	0.62	1	EPA 625	01/25/12	120256250	LC

4-Nitrophenol	< 0.89	UG/L	0.89	5	EPA 625	01/25/12	120256250	LC
Acenaphthene	< 0.61	UG/L	0.61	1	EPA 625	01/25/12	120256250	LC
Acenaphthylene	< 0.74	UG/L	0.74	1	EPA 625	01/25/12	120256250	LC
Anthracene	< 0.41	UG/L	0.41	1	EPA 625	01/25/12	120256250	LC
Benzidine	< 0.65	UG/L	0.65	5	EPA 625	01/25/12	120256250	LC
Benzo[a]anthracene	< 0.28	UG/L	0.28	1	EPA 625	01/25/12	120256250	LC
Benzo[a]pyrene	< 0.32	UG/L	0.32	1	EPA 625	01/25/12	120256250	LC
Benzo[b]fluoranthene	< 0.31	UG/L	0.31	1	EPA 625	01/25/12	120256250	LC
Benzo[ghi]perylene	< 0.62	UG/L	0.62	1	EPA 625	01/25/12	120256250	LC
Benzo[k]fluoranthene	< 0.31	UG/L	0.31	1	EPA 625	01/25/12	120256250	LC
Bis-(2-chloroethoxy)-methane	< 0.57	UG/L	0.57	1	EPA 625	01/25/12	120256250	LC
Bis-(2-chloroethyl)-ether	< 0.45	UG/L	0.45	1	EPA 625	01/25/12	120256250	LC
Bis-(2-chloroisopropyl)-ether	< 0.25	UG/L	0.25	1	EPA 625	01/25/12	120256250	LC
Bis-(2-ethylhexyl)-phthalate	< 0.77	UG/L	0.77	1	EPA 625	01/25/12	120256250	LC
Butyl benzyl phthalate	< 0.41	UG/L	0.41	1	EPA 625	01/25/12	120256250	LC
Chrysene	< 0.31	UG/L	0.31	1	EPA 625	01/25/12	120256250	LC
Di-n-butylphthalate	< 0.44	UG/L	0.44	1	EPA 625	01/25/12	120256250	LC
Di-n-octyl phthalate	< 0.76	UG/L	0.76	1	EPA 625	01/25/12	120256250	LC
Dibenzo-[a,h]-anthracene	< 0.73	UG/L	0.73	1	EPA 625	01/25/12	120256250	LC
Diethyl phthalate	< 0.84	UG/L	0.84	1	EPA 625	01/25/12	120256250	LC
Dimethyl phthalate	< 0.81	UG/L	0.81	1	EPA 625	01/25/12	120256250	LC
Fluorene	< 0.71	UG/L	0.71	1	EPA 625	01/25/12	120256250	LC
Fuoranthene	< 0.54	UG/L	0.54	1	EPA 625	01/25/12	120256250	LC
Hexachlorobenzene	< 0.48	UG/L	0.48	1	EPA 625	01/25/12	120256250	LC
Hexachlorobutadiene	< 0.53	UG/L	0.53	1	EPA 625	01/25/12	120256250	LC
Hexachlorocyclopentadiene	< 0.9	UG/L	0.9	1	EPA 625	01/25/12	120256250	LC
Hexachloroethane	< 0.57	UG/L	0.57	1	EPA 625	01/25/12	120256250	LC
Indeno[1,2,3-cd]pyrene	< 0.67	UG/L	0.67	1	EPA 625	01/25/12	120256250	LC
Isophorone	< 0.44	UG/L	0.44	1	EPA 625	01/25/12	120256250	LC
N-nitroso-di-n-propylamine (NDPA)	< 0.57	UG/L	0.57	1	EPA 625	01/25/12	120256250	LC
N-nitroso-dimethylamine (NDMA)	< 0.25	UG/L	0.25	1	EPA 625	01/25/12	120256250	LC
N-nitroso-diphenylamine	< 0.55	UG/L	0.55	1	EPA 625	01/25/12	120256250	LC
Naphthalene	< 0.48	UG/L	0.48	1	EPA 625	01/25/12	120256250	LC
Nitrobenzene	< 0.4	UG/L	0.4	1	EPA 625	01/25/12	120256250	LC
Pentachlorophenol	< 0.94	UG/L	0.94	5	EPA 625	01/25/12	120256250	LC
Phenanthrene	< 0.48	UG/L	0.48	1	EPA 625	01/25/12	120256250	LC
Phenol	< 0.47	UG/L	0.47	1	EPA 625	01/25/12	120256250	LC
Pyrene	< 0.4	UG/L	0.4	1	EPA 625	01/25/12	120256250	LC

LIMS ID: 1201230541		Date Collected: 01/20/12 19:30		Sample Matrix:				
Client Sample ID: GS SVOC T+1		Date Received: 01/23/12		LIMS Source: ST_GARSQ				
Analyte Name	Result	Unit	MDL	ML/RL	Method	Analysis Date	Batch ID	Analyst
1,2,4-Trichlorobenzene	< 0.53	UG/L	0.53	1	EPA 625	01/25/12	120256250	LC
1,2-Dichlorobenzene	< 0.46	UG/L	0.46	1	EPA 625	01/25/12	120256250	LC
1,2-Diphenylhydrazine	< 0.63	UG/L	0.63	1	EPA 625	01/25/12	120256250	LC
1,3-Dichlorobenzene	< 0.46	UG/L	0.46	1	EPA 625	01/25/12	120256250	LC
1,4-Dichlorobenzene	< 0.5	UG/L	0.5	1	EPA 625	01/25/12	120256250	LC
2,4,6-Trichlorophenol	< 0.99	UG/L	0.99	1	EPA 625	01/25/12	120256250	LC
2,4-Dichlorophenol	< 0.64	UG/L	0.64	1	EPA 625	01/25/12	120256250	LC
2,4-Dimethylphenol	< 0.96	UG/L	0.96	1	EPA 625	01/25/12	120256250	LC
2,4-Dinitrophenol	< 0.6	UG/L	0.6	5	EPA 625	01/25/12	120256250	LC
2,4-Dinitrotoluene	< 0.72	UG/L	0.72	1	EPA 625	01/25/12	120256250	LC
2,6-Dinitrotoluene	< 0.65	UG/L	0.65	1	EPA 625	01/25/12	120256250	LC
2-Chloronaphthalene	< 0.52	UG/L	0.52	1	EPA 625	01/25/12	120256250	LC
2-Chlorophenol	< 0.91	UG/L	0.91	1	EPA 625	01/25/12	120256250	LC
2-Nitrophenol	< 0.85	UG/L	0.85	1	EPA 625	01/25/12	120256250	LC
3,3'-Dichlorobenzidine	< 0.84	UG/L	0.84	1	EPA 625	01/25/12	120256250	LC
4,6-Dinitro-2-methylphenol	< 1.54	UG/L	1.54	2.5	EPA 625	01/25/12	120256250	LC
4-Bromophenyl phenyl ether	< 0.48	UG/L	0.48	1	EPA 625	01/25/12	120256250	LC
4-Chloro-3-methylphenol	< 0.97	UG/L	0.97	1	EPA 625	01/25/12	120256250	LC
4-Chlorophenyl phenyl ether	< 0.62	UG/L	0.62	1	EPA 625	01/25/12	120256250	LC
4-Nitrophenol	< 0.89	UG/L	0.89	5	EPA 625	01/25/12	120256250	LC
Acenaphthene	< 0.61	UG/L	0.61	1	EPA 625	01/25/12	120256250	LC
Acenaphthylene	< 0.74	UG/L	0.74	1	EPA 625	01/25/12	120256250	LC
Anthracene	< 0.41	UG/L	0.41	1	EPA 625	01/25/12	120256250	LC
Benzidine	< 0.65	UG/L	0.65	5	EPA 625	01/25/12	120256250	LC
Benzo[a]anthracene	< 0.28	UG/L	0.28	1	EPA 625	01/25/12	120256250	LC

Benzo[a]pyrene	< 0.32	UG/L	0.32	1	EPA 625	01/25/12	120256250	LC
Benzo[b]fluoranthene	< 0.31	UG/L	0.31	1	EPA 625	01/25/12	120256250	LC
Benzo[ghi]perylene	< 0.62	UG/L	0.62	1	EPA 625	01/25/12	120256250	LC
Benzo[k]fluoranthene	< 0.31	UG/L	0.31	1	EPA 625	01/25/12	120256250	LC
Bis-(2-chloroethoxy)-methane	< 0.57	UG/L	0.57	1	EPA 625	01/25/12	120256250	LC
Bis-(2-chloroethyl)-ether	< 0.45	UG/L	0.45	1	EPA 625	01/25/12	120256250	LC
Bis-(2-chloroisopropyl)-ether	< 0.25	UG/L	0.25	1	EPA 625	01/25/12	120256250	LC
Bis-(2-ethylhexyl)-phthalate	< 0.77	UG/L	0.77	1	EPA 625	01/25/12	120256250	LC
Butyl benzyl phthalate	< 0.41	UG/L	0.41	1	EPA 625	01/25/12	120256250	LC
Chrysene	< 0.31	UG/L	0.31	1	EPA 625	01/25/12	120256250	LC
Di-n-butylphthalate	< 0.44	UG/L	0.44	1	EPA 625	01/25/12	120256250	LC
Di-n-octyl phthalate	< 0.76	UG/L	0.76	1	EPA 625	01/25/12	120256250	LC
Dibenzo-[a,h]-anthracene	< 0.73	UG/L	0.73	1	EPA 625	01/25/12	120256250	LC
Diethyl phthalate	< 0.84	UG/L	0.84	1	EPA 625	01/25/12	120256250	LC
Dimethyl phthalate	< 0.81	UG/L	0.81	1	EPA 625	01/25/12	120256250	LC
Fluorene	< 0.71	UG/L	0.71	1	EPA 625	01/25/12	120256250	LC
Fuoranthene	< 0.54	UG/L	0.54	1	EPA 625	01/25/12	120256250	LC
Hexachlorobenzene	< 0.48	UG/L	0.48	1	EPA 625	01/25/12	120256250	LC
Hexachlorobutadiene	< 0.53	UG/L	0.53	1	EPA 625	01/25/12	120256250	LC
Hexachlorocyclopentadiene	< 0.9	UG/L	0.9	1	EPA 625	01/25/12	120256250	LC
Hexachloroethane	< 0.57	UG/L	0.57	1	EPA 625	01/25/12	120256250	LC
Indeno[1,2,3-cd]pyrene	< 0.67	UG/L	0.67	1	EPA 625	01/25/12	120256250	LC
Isophorone	< 0.44	UG/L	0.44	1	EPA 625	01/25/12	120256250	LC
N-nitroso-di-n-propylamine (NDPA)	< 0.57	UG/L	0.57	1	EPA 625	01/25/12	120256250	LC
N-nitroso-dimethylamine (NDMA)	< 0.25	UG/L	0.25	1	EPA 625	01/25/12	120256250	LC
N-nitroso-diphenylamine	< 0.55	UG/L	0.55	1	EPA 625	01/25/12	120256250	LC
Naphthalene	< 0.48	UG/L	0.48	1	EPA 625	01/25/12	120256250	LC
Nitrobenzene	< 0.4	UG/L	0.4	1	EPA 625	01/25/12	120256250	LC
Pentachlorophenol	< 0.94	UG/L	0.94	5	EPA 625	01/25/12	120256250	LC
Phenanthrene	< 0.48	UG/L	0.48	1	EPA 625	01/25/12	120256250	LC
Phenol	< 0.47	UG/L	0.47	1	EPA 625	01/25/12	120256250	LC
Pyrene	< 0.4	UG/L	0.4	1	EPA 625	01/25/12	120256250	LC

Release By: _____



Date: 3/19/2012